

Test Report

Report No.: CTT2603031333EN

Page 1 of 40

Applicant: AFG Media Limited

Address: Ground Floor The Tun, 6-8 Jacksons Entry, Edinburgh, EH8 8PJ

Sample Received Date: Mar. 17, 2026

Testing Period: Mar. 17, 2026 - Apr. 03, 2026

Report Date: Apr. 03, 2026

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: Cowgirl Cutie Girls

Test Model No.: MCKCG

ASIN: B0DTKHCCWDB01NBU3STO/B01N7RKIEN/
B01N4NF4UD

Exported to: US,EU,CAN


Other sample models of test samples: MCKCGT2/MCKCGL/MCKCGM/MCKCGS

Packaging Provided: Yes

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).

Signed for and on Behalf of CTT:



Frank/Shelly
Technical Manager




Verification Report



Zhejiang Consumer Testing
Technology Co., Ltd.

1-3/F., Building 5, Zone B, Shuangchuang Street, No.E21, Xinke Road, Choujiang Subdistrict, Yiwu, Jinhua, China
(Zhejiang)
Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com




Test Report

Report No.: CTT2603031333EN

Page 2 of 40

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	ASTM F963-23 - Physical and Mechanical Properties	PASS
2	ASTM F963-23 - Flammability	PASS
3	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 - Mechanical and Physical Properties	PASS
4	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 - Flammability	PASS
5	CPSC 16 CFR 1501 -Small Parts	NA
6	CPSIA Tracking Labels for Children's Products: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103	PASS
7	EN 71-1:2014+A1:2018, European Standard Safety of toys - Part 1:Mechanical and Physical Properties	PASS
8	EN 71-2:2020 European Standard Safety of toys - Part 2: Flammability	PASS
9	EN 14682:2014 Safety of children's clothing Cords and Drawstrings on children's clothing Specifications	PASS
10	Labeling requirement (Washing/ Cleaning Label, CE mark, importer/ manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys	PASS
11	SOR/2016-193 and its amendments SOR/2022-122 Surface Coating Materials Regulations - Lead (Pb)	NA
12	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Canada Soluble Heavy Metal	NA
13	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Lead (Pb)	NA
14	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Mercury (Hg)	NA
15	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations - Lead	NA




Test Report

Report No.: CTT2603031333EN

Page 3 of 40

16	US Public Law 110-314[Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] - Total Lead (Pb) in paint or surface coating	NA
17	ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating - Total Lead	NA
18	CPSC 16 CFR 1303 - Total Lead (Pb) in paint or surface coating	NA
19	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations - Lead (Pb)	PASS
20	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2016-188 Phthalates Regulations - Phthalates	PASS
21	ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating - Soluble heavy metal elements	NA
22	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-Modeling Clays - Soluble heavy metal elements	PASS
23	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-metallic Materials - Total Lead	PASS
24	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in accessible substrate materials	PASS
25	ASTM F963-23, Section 4.3 Toxicology 4.3.8 Accessible plasticized component - Phthalates	PASS
26	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307 - Phthalates	PASS
27	EN 71-3:2019+A2:2024 (Category II I) - Migration of certain elements	PASS

NOTE: 1. NA = Not Applicable.



Test Report

Report No.: CTT2603031333EN

Page 4 of 40

Test Result(s):

Mechanical and Physical Properties - ASTM F963-23


Labeled age group: /

Appropriate age grading: 3+

Age grading for testing: 3+

Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		15
4	Safety Requirements	
4.1	Material Quality	PASS
4.3.7	Stuffing Materials	NA
4.4 ⁿ	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA
4.6	Small Objects	
4.6.1	Toys that are intended for children under 36 months of age	NA
4.6.2 ⁿ	Mouth-actuated Toys	NA
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	NA
4.7	Accessible Edges	PASS
4.8	Projections	NA
4.9	Accessible Points	PASS
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	PASS
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.15.1	Stability of Ride-On Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	NA
4.15.6 ⁿ	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA




Test Report

Report No.: CTT2603031333EN

Page 5 of 40

4.20	Pacifiers(for 4.20.2)	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA
4.21.3	Projectile Toys without Stored Energy	NA
4.21.3.1 ⁿ	Mouth actuated projectile toys	NA
4.21.3.2	Projectiles shall not have any sharp edges or sharp points	NA
4.21.3.3	Arrows intended to be launched from a bow	NA
4.21.3.4	Projectiles in the form of an arrow	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated Toys(for4.25.1-4.25.8)	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials (for 4.29.2 labeling)	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	
4.34.1	Toy intended for children under 36 months of age	NA
4.34.2	Toys intended for children at least 3 years old but less than 8 years of age that contain a loose small ball	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37 ⁿ	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
4.41.1 ⁿ	Lid Support	NA
4.41.2	Hinge Line Clearance	NA
4.41.3	Closures	NA




Test Report

Report No.: CTT2603031333EN

Page 6 of 40

4.41.4	Ventilation	NA
4.41.5	Toy chests shall comply with the requirements listed in 6.8 for accompanying instructional literature and 7.3 for producer's markings	NA
5	Labeling Requirement	
5.1.2	Tracking Label	PASS
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys	NA
5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	PASS
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled By an Adult	NA
6.5	Battery-Operated toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery	NA
7	Producer's Marking	
7.1	Name of the producer or the distributor	PASS
	Address of the producer or the distributor	PASS
7.2	Battery-Powered Ride-on Toys	NA
7.3	Toy Chests	NA



Test Report

Report No.: CTT2603031333EN

Page 7 of 40

- Note:**
1. NA = Not Applicable
 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 3. Applicant should ensure to meet requirements of the standard.

The submitted samples were undergone the use and abuse tests in accordance with the ASTM F963-23

Testing Items	Parameter
Impact Test	4×3.0 ft
Torque Test	4.0 inch · lbf
Tension Test	15 lbf

Test Result(s):

Flammability - ASTM F963-23 Annex A5

Sample Description	Ignition Location	Burn Length (inch)	Burn Time (sec.)	Burn Rate (inch/sec.)	Limit (inch/sec.)	Conclusion
						15
Hat	Edge	1.9	60	0.03	0.15	PASS


- Note:**
1. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.

Test Result(s):

Flammability - ASTM F963-23 Annex A6

Material No.	Sample Description	Location
15-1	Pink fabric	Costume
15-2	White fabric	Costume
15-3	White panne	Costume
15-4	Pink and white fabric	Costume
15-5	Pink mesh	Costume
15-6	White satin	Costume
15-7	White lining fabric	Costume

Material No.	Test Sample	Plain Surface	
		Time of Flame Spread (S)	
15-1	--	Lengthwise	Crosswise



Test Report


Report No.: CTT2603031333EN

Page 8 of 40

	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	

Material No.	Test Sample	Plain Surface	
		Time of Flame Spread (S)	
15-2	--	Lengthwise	Crosswise
	As Received	1	DNI
		2	DNI
		3	DNI
		4	DNI
		5	DNI
		Average	/
		Conclusion	PASS
	After Laundering	1	DNI
		2	DNI
		3	DNI
		4	DNI
		5	DNI
		Average	/
		Conclusion	PASS

Material No.	Test Sample	Raised Surface	
		Time of Flame Spread (S)	
15-3	--	Lengthwise	Crosswise



Test Report


Report No.: CTT2603031333EN

Page 9 of 40

	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
15-4	--		Lengthwise	Crosswise
	As Received	1	10.4	/
		2	7.8	/
		3	9.0	/
		4	10.8	/
		5	8.5	/
		Average	9.3	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	10.7	/
		3	9.9	/
		4	8.1	/
		5	8.6	/
		Average	9.3	/
		Conclusion	PASS	

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
15-5	--		Lengthwise	Crosswise



Test Report


Report No.: CTT2603031333EN

Page 10 of 40

	As Received	1	DNI	/
		2	DNI	/
		3	IBE	/
		4	IBE	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	IBE	/
		4	IBE	/
		5	IBE	/
		Average	/	/
		Conclusion	PASS	

Material No.	Test Sample	Plain Surface	
		Time of Flame Spread (S)	
15-6	--	Lengthwise	Crosswise
	As Received	1	DNI
		2	DNI
		3	DNI
		4	IBE
		5	15.2
		Average	/
		Conclusion	PASS
	After Laundering	1	DNI
		2	DNI
		3	DNI
		4	DNI
		5	DNI
		Average	/
		Conclusion	PASS

Material No.	Test Sample	Plain Surface	
		Time of Flame Spread (S)	
15-7	--	Lengthwise	Crosswise



Test Report

Report No.: CTT2603031333EN

Page 11 of 40

	As Received	1	10.5	/
		2	7.5	/
		3	9.1	/
		4	9.2	/
		5	8.4	/
		Average	8.9	/
		Conclusion	PASS	
	After Laundering	1	10.2	/
		2	10.6	/
		3	11.8	/
		4	10.0	/
		5	9.1	/
		Average	10.3	/
		Conclusion	PASS	

The requirement of Plain Surface:


- 1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.
IBE: Ignited but extinguished
DNI: Did not ignite.
- 2) Average burn time is 3.5 s or greater.

Remark:

1. If only 1 of 5 specimens ignites and burns the stop cord with a time of 3.5 sec. or more, samples are acceptable.
2. If only 1 of 5 specimens ignites and burns the stop cord in less than 3.5 sec., test another set of 5 specimens. Compute the average time of flame spread for all 10 specimens. If 2 or more of these specimens ignite and burn the stop cord, average the results from those specimens. If only 1 of the 10 specimens ignites and burns the stop cord, samples are acceptable.

The requirement of Raised Surface:

- 1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.
IBE: Ignited but extinguished
DNI: Did not ignite.
- 2) Average burn time is 4s or greater.
- 3) Average burn time is less than 4 s and all specimens burn with a surface flash where the intensity of the surface flame is insufficient to ignite, char, or melt the base fabric.
- 4) Only 1 of 5 specimens ignites and burns in less than 4 s and the base fabric does not ignite or fuse, the sample is acceptable.
- 5) Only 1 of 5 specimens ignites or burns in more than 4 s, regardless of whether the base fabric ignites or fuses, the sample is acceptable.



Test Report

Report No.: CTT2603031333EN

Page 12 of 40

Remark:

1. To compute the average time of flame spread for each set of 5 specimens, at least 2 of the specimens must ignite and burn the stop cord.
2. If only 1 of 5 specimens ignites and burns in less than 4 s where the base fabric ignites or fuses, test another set of 5 specimens. Compute the average time of flame spread for all 10 specimens. If 2 or more of the 10 specimens ignite and burn the stop cord, average the results from those specimens. If only 1 of the 10 specimens ignites and burns the stop cord, samples are acceptable.

Test Result(s):

Mechanical and Physical Properties - SOR/2011-17


Labeled age group: /

Appropriate age grading: 3+

Age grading for testing: 3+

Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		15
3	General-Official languages	PASS
4	Packaging-Flexible film bags	PASS
5 ⁿ	Electrical Hazards-Electrically operated toys	NA
6 ⁿ	Electrical Hazards- Electrically heated toys	NA
7	Mechanical Hazards-Small parts	NA
8	Mechanical Hazards-Metal edges	NA
9	Mechanical Hazards-Wire frames	NA
10	Mechanical Hazards-Plastic edges	PASS
11	Mechanical Hazards-Wood	NA
12	Mechanical Hazards-Glass	NA
13	Mechanical Hazards-Fasteners	NA
14	Mechanical Hazards-Safety stops or locking devices-Folding mechanisms	NA
15	Mechanical Hazards-Spring-wound driving mechanisms	NA
16	Mechanical Hazards-Projectile components	NA
17	Mechanical Hazards-Enclosures	NA
18	Mechanical Hazards-Stability	NA
19	Auditory Hazards-Decibel limit	NA
28	Dolls, Plush Toys and Soft Toys-Fastenings	NA
29	Dolls, Plush Toys and Soft Toys-Stuffing (a) and (b)	NA



Test Report

Report No.: CTT2603031333EN

Page 13 of 40

30	Dolls, Plush Toys and Soft Toys-Small parts	NA
31	Dolls, Plush Toys and Soft Toys-Eyes or noses	NA
35	Plant seeds-Noise	NA
36	Plant seeds-Stuffing Material	NA
37	Pull and Push Toys-Shaft-like handle	NA
38 ⁿ	Toy Steam Engines-Boilers-safety valves	NA
39	Finger Paints-Water-based paints	NA
40	Rattles-Construction	NA
41	Elastics-Length or extensibility	NA
42	Yo-Yo type balls-Stretchable cords	NA
43	Magnetic Toys-Magnetic force	NA
44	Magnetic Toys-Exceptions	NA
45 ⁿ	Toys Intended to be Entered by a Child-Exception	NA
46 ⁿ	Toys Intended to be Entered by a Child- Requirements and testing	NA
47 ⁿ	Toys Intended to be Entered by a Child-Warning	NA

Not 1. NA = Not Applicable.

e: 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.

3. Applicant should ensure to meet requirements of the standard.


The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17:

Testing Items	Parameter
Drop test	4x0.914m
Pull test	44.5N
Push test	44.5N

Test Result(s):

Flammability - SOR/2011-17

Section	Testing Items	Assessment
		15
21	Flammability Hazards-Celluloid or cellulose nitrate	PASS
32	Dolls, Plush Toys and Soft Toys-Flammability of outer covering	PASS
33	Dolls, Plush Toys and Soft Toys-Flammability of yarn	NA



Test Report

Report No.: CTT2603031333EN

Page 14 of 40


34	Dolls, Plush Toys and Soft Toys-Flammability of hair or mane	NA
46 ⁿ	Toys Intended to be Entered by a Child-Requirements and testing	NA

Test Result(s): Flammability

Material No.	Sample Description	Location
15-1	Pink fabric	Costume
15-2	White fabric	Costume
15-3	White panne	Costume
15-4	Pink and white fabric	Costume
15-5	Pink mesh	Costume
15-6	White satin	Costume
15-7	White lining fabric	Costume
15-8	Brown fabric	Hat

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
15-1	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
15-2	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI



Test Report


Report No.: CTT2603031333EN

Page 15 of 40

		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
15-3	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
15-4	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	10.4	/
		2	7.8	/
		3	9.0	/
		4	10.8	/
		5	8.5	/



Test Report


Report No.: CTT2603031333EN

Page 16 of 40

	After Laundering	Conclusion	PASS	
		1	/	DNI
		2	10.7	/
		3	9.9	/
		4	8.1	/
		5	8.6	/
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
15-5	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	IBE
		4	/	IBE
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	IBE
		4	/	IBE
		5	/	IBE
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
15-6	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	IBE
		5	15.2	/
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI



Test Report


Report No.: CTT2603031333EN

Page 17 of 40

		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
15-7	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	10.5	/
		2	7.5	/
		3	9.1	/
		4	9.2	/
		5	8.4	/
		Conclusion	PASS	
	After Laundering	1	10.2	/
		2	10.6	/
		3	11.8	/
		4	10.0	/
		5	9.1	/
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
15-8	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	



Test Report

Report No.: CTT2603031333EN

Page 18 of 40

Requirement for Out Covering:

- 1.If the burn time is greater than 7.0s, the sample is considered to have passed the test.
- 2.If specimen did not ignite or ignited but self-extinguished, it is considered to have passed the test.
- 3.If one of the five specimens fails, test five additional specimens. Two failures out of 10 specimens results in a failure of the product to pass the test requirement.

- Note:**
1. DNI: Did not ignite.
 2. IBE: Ignited but extinguished.


Test Result(s):

CPSC 16 CFR 1501- Small Parts

Labeled age group: /
Appropriate age grading: 3+
Age grading for testing: 3+
Applicant's Specified Testing Age Group: 3-14 years old

Test Item(s)	Requirements of Standard	Assessment
		15
CPSC 16 CFR 1501-Small parts	Toys and other article intended for use by children under 3 years of age shall not have small parts since it presents a choking, aspiration, or ingestion hazard. Toys and other article are subject to this requirement before or after use and abuse testing.	NA

- Note:**
1. NA = Not Applicable.
 2. The above-mentioned evaluation only comply with the received sample.



Test Report

Report No.: CTT2603031333EN

Page 19 of 40

Test Result(s):

CPSIA Tracking Labels for Children's Products (Visual)

Method: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103


Tracking label on the packaging ¹

Requirement	Result
	15
Name of the manufacture or the name of the private labeler.	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state.	Present
Date of the production of the product, in a form of Month/ Year or any other coding system.	Present
The cohort information(including the batch, run number, or other identifying characteristic.	Present
Permanent remark	PASS

Tracking label on the product ¹

Requirement	Result
	15
Name of the manufacture or the name of the private labeler	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state	Present
Date of the production of the product, in a form of Month/ Year or any other coding system	Present
The cohort information(including the batch, run number, or other identifying characteristic	Present
Permanent remark	*

- Note:**
1. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 2. Applicant should ensure to meet requirements of the standard.
 3. *=The client only provided artwork, the "Permanent remark" was not verified.



Test Report

Report No.: CTT2603031333EN

Page 20 of 40

Test Result(s):

Mechanical and Physical Test - EN 71-1:2014+A1:2018


Labeled age group: /

Appropriate age grading: 3+

Age grading for testing: 3+

Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		15
4	General requirements	
4.1	Material cleanliness	PASS
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	PASS
4.8	Points and metallic wires	PASS
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth a),b)&d)	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	
4.14.1	Toys which a child can enter a)&b)	NA
4.14.2	Masks and helmets	NA
4.15	Toys intended to bear the mass of a child	NA
4.15.1 ⁿ	Toys propelled by the child or by other means	NA
4.15.2 ⁿ	Toy bicycles	NA
4.15.3	Rocking horses and similar toys	NA
4.15.4	Toys not propelled by a child	NA
4.15.5 ⁿ	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA




Test Report

Report No.: CTT2603031333EN

Page 21 of 40

4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26**	Toy Disguise Costumes	PASS
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6 ⁿ	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibers	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	PASS
7	Warnings, markings and instructions for use	
7.1	General	PASS
7.2	Toys not intended for children under 36 months	PASS
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA



Test Report

Report No.: CTT2603031333EN

Page 22 of 40


7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

- Note:**
1. NA = Not Applicable
 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 3. Applicant should ensure to meet requirements of the standard.
 4. "***" = The test sample(s) is received on Apr. 01, 2026.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Test Report

Report No.: CTT2603031333EN

Page 23 of 40

- Manufacturer's name was present and Manufacturer's address was present.
- Importer's name was present and Importer's address was present.
- CE-Marking was present.
- Product ID was present.

The submitted samples were undergone the use and abuse tests in accordance with the EN 71-1:2014+A1:2018

Testing Items	Parameter
Torque test	0.34Nm
Tension test	90N
Drop test	5x850mm
Impact test	1x1Kgx100mm

Test Result(s):

Flammability - EN 71-2:2020

Section	Testing Items	Assessment
		15
4.1	General requirements	PASS*
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	PASS
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA


- Note:**
1. NA = Not Applicable.
 2. "*" = This section excluding: Flammable gases, extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels.

Test Result(s):

Safety of children's clothing Cords and Drawstrings on children's clothing Specifications - EN 14682:2014

Labeled age group: /
 Appropriate age grading: 3+
 Age grading for testing: 3+
 Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		15
3	Requirements	



Test Report

Report No.: CTT2603031333EN

Page 24 of 40

3.1	General	PASS
3.2**	Head, neck and upper chest area on garments for young children	PASS
3.3**	Head, neck and upper chest area on garments for older children and young persons	NA
3.4	Chest and waist area	NA
3.5	Lower edge of garments which hang below the crotch	NA
3.6	Back area	PASS
3.7	Sleeves	NA
3.8	Other parts of the garment	NA


- Note:**
1. NA = Not Applicable.
 2. "**" = The test sample(s) is received on Apr. 01, 2026.

Test Result(s):

Labeling Requirement - Directive 2009/48/ECⁿ

Test Item	Assessment	Location	Conclusion
			15
Manufacture's Name& Address	Found	Toy/packaging	PASS
Importer's Name& Address	Found	Toy/packaging	PASS
Product ID	Found	Toy/packaging	PASS
CE Mark	Found	Toy/packaging	PASS
Washing/Cleaning instruction	Found	Toy/packaging	PASS

- Note:**
1. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 2. Applicant should ensure to meet requirements of the standard.



Test Report

Report No.: CTT2603031333EN

Page 25 of 40

Test Result(s):

Lead (Pb) - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
8D	N.D.	PASS
9R	N.D.	PASS
10D	44	PASS
14R	N.D.	PASS


NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 9R = This data is refer to data of CTT2603031296EN-7.
5. 14R = This data is refer to data of CTT2603031310EN-18.
6. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.

Test Result(s):

Phthalates - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2016-188 Phthalates Regulations

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					8D	9R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS



Test Report

Report No.: CTT2603031333EN

Page 26 of 40


No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					10D	14R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	264	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	99	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 9R = This data is refer to data of CTT2603031296EN-7.
 5. 14R = This data is refer to data of CTT2603031310EN-18.
 6. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).

Test Result(s):

Soluble heavy metal elements - ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-Modeling Clays

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1D	2D
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS



Test Report


Report No.: CTT2603031333EN

Page 27 of 40

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					3D	4D
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					5D	6D
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					7D	8D
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	14
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS



Test Report

Report No.: CTT2603031333EN


Page 28 of 40

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					9R	10D
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	8
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					11	12R
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					13D	14R
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

NOTE: 1. mg/kg = milligram per kilogram (ppm).



Test Report

Report No.: CTT2603031333EN

Page 29 of 40

2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 9R = This data is refer to data of CTT2603031296EN-7.
5. 14R = This data is refer to data of CTT2603031310EN-18.
6. 12R = This data is refer to data of CTT2603031295EN-14.
7. "D" = The sample(s) is(are) tested according to the method EN 71-3:2019+A2:2024.

Test Result(s):

Total Lead (Pb) in accessible substrate materials - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a

Method: CPSC-CH-E1002-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
8	N.D.	PASS
9R	N.D.	PASS
10	44	PASS
14R	N.D.	PASS


NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 9R = This data is refer to data of CTT2603031296EN-7.
5. 14R = This data is refer to data of CTT2603031310EN-18.

Test Result(s):

Total Lead - ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-metallic Materials

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
8D	N.D.	PASS
9R	N.D.	PASS
10D	44	PASS
14R	N.D.	PASS



Test Report

Report No.: CTT2603031333EN


Page 30 of 40

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 9R = This data is refer to data of CTT2603031296EN-7.
 5. 14R = This data is refer to data of CTT2603031310EN-18.
 6. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.

Test Result(s):

Phthalates - ASTM F963-23, Section 4.3 Toxicology 4.3.8 Accessible plasticized component

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					8D	9R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.: CTT2603031333EN

Page 31 of 40

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					10D	14R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	264	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	99	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 9R = This data is refer to data of CTT2603031296EN-7.
 5. 14R = This data is refer to data of CTT2603031310EN-18.
 6. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).



Test Report

Report No.: CTT2603031333EN

Page 32 of 40

Test Result(s):


Phthalates - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108]
and CPSC 16 CFR 1307

Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					8	9R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					10	14R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	264	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	99	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

NOTE: 1. mg/kg = milligram per kilogram (ppm).



Test Report

Report No.: CTT2603031333EN

Page 33 of 40

2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).

3. "R" = The test result is referred from identical material of other report according to applicant's request.

4. 9R = This data is refer to data of CTT2603031296EN-7.


5. 14R = This data is refer to data of CTT2603031310EN-18.

Test Result(s):

Migration of certain elements - EN 71-3:2019+A2:2024 (Category II I)

Method: EN 71-3:2019+A2:2024

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1	2
1	Soluble Organic tin	--	12	2.5	N.D.	N.D.
2	Soluble Mercury (Hg)	7439-97-6	94	5	N.D.	N.D.
3	Soluble Zinc (Zn)	7440-66-6	46000	5	N.D.	285
4	Soluble CrIII ⁿ	--	460	2.0	N.D.	N.D.
5	Soluble CrVI ⁿ	18540-29-9	0.053	0.025	N.D.	N.D.
6	Soluble Tin (Sn)	7440-31-5	180000	2.5	N.D.	N.D.
7	Soluble Aluminum (Al)	7429-90-5	28130	5	14	10
8	Soluble Boron (B)	7440-42-8	15000	5	N.D.	N.D.
9	Soluble Cobalt (Co)	7440-48-4	130	5	N.D.	N.D.
10	Soluble Copper (Cu)	7440-50-8	7700	5	N.D.	N.D.
11	Soluble Manganese (Mn)	7439-96-5	15000	5	N.D.	N.D.
12	Soluble Antimony (Sb)	7440-36-0	560	5	N.D.	6
13	Soluble Arsenic (As)	7440-38-2	47	2.5	N.D.	N.D.
14	Soluble Barium (Ba)	7440-39-3	18750	5	N.D.	N.D.
15	Soluble Selenium (Se)	7782-49-2	460	5	N.D.	N.D.
16	Soluble Nickel (Ni)	7440-02-0	930	5	N.D.	N.D.
17	Soluble Cadmium (Cd)	7440-43-9	17	5	N.D.	N.D.
18	Soluble Lead (Pb)	7439-92-1	23	5	N.D.	N.D.
19	Soluble Strontium (Sr)	7440-24-6	56000	5	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.: CTT2603031333EN

Page 34 of 40

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					3	4
1	Soluble Organic tin	--	12	2.5	N.D.	N.D.
2	Soluble Mercury (Hg)	7439-97-6	94	5	N.D.	N.D.
3	Soluble Zinc (Zn)	7440-66-6	46000	5	11	N.D.
4	Soluble CrIII ⁿ	--	460	2.0	N.D.	N.D.
5	Soluble CrVI ⁿ	18540-29-9	0.053	0.025	N.D.	N.D.
6	Soluble Tin (Sn)	7440-31-5	180000	2.5	N.D.	N.D.
7	Soluble Aluminum (Al)	7429-90-5	28130	5	7	N.D.
8	Soluble Boron (B)	7440-42-8	15000	5	N.D.	N.D.
9	Soluble Cobalt (Co)	7440-48-4	130	5	N.D.	N.D.
10	Soluble Copper (Cu)	7440-50-8	7700	5	88	N.D.
11	Soluble Manganese (Mn)	7439-96-5	15000	5	N.D.	N.D.
12	Soluble Antimony (Sb)	7440-36-0	560	5	N.D.	N.D.
13	Soluble Arsenic (As)	7440-38-2	47	2.5	N.D.	N.D.
14	Soluble Barium (Ba)	7440-39-3	18750	5	N.D.	N.D.
15	Soluble Selenium (Se)	7782-49-2	460	5	N.D.	N.D.
16	Soluble Nickel (Ni)	7440-02-0	930	5	N.D.	N.D.
17	Soluble Cadmium (Cd)	7440-43-9	17	5	N.D.	N.D.
18	Soluble Lead (Pb)	7439-92-1	23	5	N.D.	N.D.
19	Soluble Strontium (Sr)	7440-24-6	56000	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					5	6
1	Soluble Organic tin	--	12	2.5	N.D.	N.D.
2	Soluble Mercury (Hg)	7439-97-6	94	5	N.D.	N.D.
3	Soluble Zinc (Zn)	7440-66-6	46000	5	6	38
4	Soluble CrIII ⁿ	--	460	2.0	N.D.	N.D.
5	Soluble CrVI ⁿ	18540-29-9	0.053	0.025	N.D.	N.D.
6	Soluble Tin (Sn)	7440-31-5	180000	2.5	N.D.	N.D.
7	Soluble Aluminum (Al)	7429-90-5	28130	5	10	7
8	Soluble Boron (B)	7440-42-8	15000	5	N.D.	N.D.
9	Soluble Cobalt (Co)	7440-48-4	130	5	N.D.	N.D.
10	Soluble Copper (Cu)	7440-50-8	7700	5	N.D.	39
11	Soluble Manganese (Mn)	7439-96-5	15000	5	N.D.	N.D.
12	Soluble Antimony (Sb)	7440-36-0	560	5	N.D.	N.D.



Test Report


Report No.: CTT2603031333EN

Page 35 of 40

13	Soluble Arsenic (As)	7440-38-2	47	2.5	N.D.	N.D.
14	Soluble Barium (Ba)	7440-39-3	18750	5	N.D.	N.D.
15	Soluble Selenium (Se)	7782-49-2	460	5	N.D.	N.D.
16	Soluble Nickel (Ni)	7440-02-0	930	5	N.D.	N.D.
17	Soluble Cadmium (Cd)	7440-43-9	17	5	N.D.	N.D.
18	Soluble Lead (Pb)	7439-92-1	23	5	N.D.	N.D.
19	Soluble Strontium (Sr)	7440-24-6	56000	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					7	8
1	Soluble Organic tin	--	12	2.5	N.D.	N.D.
2	Soluble Mercury (Hg)	7439-97-6	94	5	N.D.	N.D.
3	Soluble Zinc (Zn)	7440-66-6	46000	5	6	17
4	Soluble CrIII ⁿ	--	460	2.0	N.D.	N.D.
5	Soluble CrVI ⁿ	18540-29-9	0.053	0.025	N.D.	N.D.
6	Soluble Tin (Sn)	7440-31-5	180000	2.5	N.D.	N.D.
7	Soluble Aluminum (Al)	7429-90-5	28130	5	12	7
8	Soluble Boron (B)	7440-42-8	15000	5	N.D.	N.D.
9	Soluble Cobalt (Co)	7440-48-4	130	5	N.D.	N.D.
10	Soluble Copper (Cu)	7440-50-8	7700	5	204	6
11	Soluble Manganese (Mn)	7439-96-5	15000	5	N.D.	N.D.
12	Soluble Antimony (Sb)	7440-36-0	560	5	N.D.	35
13	Soluble Arsenic (As)	7440-38-2	47	2.5	N.D.	N.D.
14	Soluble Barium (Ba)	7440-39-3	18750	5	N.D.	N.D.
15	Soluble Selenium (Se)	7782-49-2	460	5	N.D.	N.D.
16	Soluble Nickel (Ni)	7440-02-0	930	5	N.D.	N.D.
17	Soluble Cadmium (Cd)	7440-43-9	17	5	N.D.	N.D.
18	Soluble Lead (Pb)	7439-92-1	23	5	N.D.	N.D.
19	Soluble Strontium (Sr)	7440-24-6	56000	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					9R	10
1	Soluble Organic tin	--	12	2.5	N.D.	N.D.
2	Soluble Mercury (Hg)	7439-97-6	94	5	N.D.	N.D.
3	Soluble Zinc (Zn)	7440-66-6	46000	5	1166	9
4	Soluble CrIII ⁿ	--	460	2.0	N.D.	N.D.




Test Report

Report No.: CTT2603031333EN

Page 36 of 40

5	Soluble CrVI ⁿ	18540-29-9	0.053	0.025	N.D.	N.D.
6	Soluble Tin (Sn)	7440-31-5	180000	2.5	N.D.	N.D.
7	Soluble Aluminum (Al)	7429-90-5	28130	5	48	30
8	Soluble Boron (B)	7440-42-8	15000	5	N.D.	N.D.
9	Soluble Cobalt (Co)	7440-48-4	130	5	N.D.	N.D.
10	Soluble Copper (Cu)	7440-50-8	7700	5	N.D.	5
11	Soluble Manganese (Mn)	7439-96-5	15000	5	N.D.	N.D.
12	Soluble Antimony (Sb)	7440-36-0	560	5	N.D.	N.D.
13	Soluble Arsenic (As)	7440-38-2	47	2.5	N.D.	N.D.
14	Soluble Barium (Ba)	7440-39-3	18750	5	6	12
15	Soluble Selenium (Se)	7782-49-2	460	5	N.D.	N.D.
16	Soluble Nickel (Ni)	7440-02-0	930	5	N.D.	N.D.
17	Soluble Cadmium (Cd)	7440-43-9	17	5	N.D.	N.D.
18	Soluble Lead (Pb)	7439-92-1	23	5	N.D.	N.D.
19	Soluble Strontium (Sr)	7440-24-6	56000	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					11	12R
1	Soluble Organic tin	--	12	2.5	N.D.	N.D.
2	Soluble Mercury (Hg)	7439-97-6	94	5	N.D.	N.D.
3	Soluble Zinc (Zn)	7440-66-6	46000	5	40	N.D.
4	Soluble CrIII ⁿ	--	460	2.0	N.D.	N.D.
5	Soluble CrVI ⁿ	18540-29-9	0.053	0.025	N.D.	N.D.
6	Soluble Tin (Sn)	7440-31-5	180000	2.5	N.D.	N.D.
7	Soluble Aluminum (Al)	7429-90-5	28130	5	5	11
8	Soluble Boron (B)	7440-42-8	15000	5	N.D.	N.D.
9	Soluble Cobalt (Co)	7440-48-4	130	5	N.D.	N.D.
10	Soluble Copper (Cu)	7440-50-8	7700	5	8	N.D.
11	Soluble Manganese (Mn)	7439-96-5	15000	5	N.D.	N.D.
12	Soluble Antimony (Sb)	7440-36-0	560	5	N.D.	N.D.
13	Soluble Arsenic (As)	7440-38-2	47	2.5	N.D.	N.D.
14	Soluble Barium (Ba)	7440-39-3	18750	5	N.D.	N.D.
15	Soluble Selenium (Se)	7782-49-2	460	5	N.D.	N.D.
16	Soluble Nickel (Ni)	7440-02-0	930	5	N.D.	N.D.
17	Soluble Cadmium (Cd)	7440-43-9	17	5	N.D.	N.D.
18	Soluble Lead (Pb)	7439-92-1	23	5	N.D.	N.D.
19	Soluble Strontium (Sr)	7440-24-6	56000	5	N.D.	N.D.



Test Report


Report No.: CTT2603031333EN

Page 37 of 40

Conclusion					PASS	PASS
No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					13	14
1	Soluble Organic tin	--	12	2.5	N.D.	N.D.
2	Soluble Mercury (Hg)	7439-97-6	94	5	N.D.	N.D.
3	Soluble Zinc (Zn)	7440-66-6	46000	5	N.D.	N.D.
4	Soluble CrIII ⁿ	--	460	2.0	N.D.	N.D.
5	Soluble CrVI ⁿ	18540-29-9	0.053	0.025	N.D.	N.D.
6	Soluble Tin (Sn)	7440-31-5	180000	2.5	N.D.	N.D.
7	Soluble Aluminum (Al)	7429-90-5	28130	5	23	7
8	Soluble Boron (B)	7440-42-8	15000	5	N.D.	N.D.
9	Soluble Cobalt (Co)	7440-48-4	130	5	N.D.	N.D.
10	Soluble Copper (Cu)	7440-50-8	7700	5	N.D.	N.D.
11	Soluble Manganese (Mn)	7439-96-5	15000	5	N.D.	N.D.
12	Soluble Antimony (Sb)	7440-36-0	560	5	N.D.	N.D.
13	Soluble Arsenic (As)	7440-38-2	47	2.5	N.D.	N.D.
14	Soluble Barium (Ba)	7440-39-3	18750	5	6	N.D.
15	Soluble Selenium (Se)	7782-49-2	460	5	N.D.	N.D.
16	Soluble Nickel (Ni)	7440-02-0	930	5	N.D.	N.D.
17	Soluble Cadmium (Cd)	7440-43-9	17	5	N.D.	N.D.
18	Soluble Lead (Pb)	7439-92-1	23	5	N.D.	N.D.
19	Soluble Strontium (Sr)	7440-24-6	56000	5	N.D.	N.D.
Conclusion					PASS	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. Migration of organic tin was calculated by summation of the migration values of Methyl tin, Dimethyl tin, Di-n-propyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Diphenyl tin, Triphenyl tin and was expressed as tributyltin cation content. However other organic tin compounds may also be present in the sample.
4. The soluble organic tin was not conducted due to the soluble tin is not detected.
5. Soluble chromium (VI) test method: BS EN 71-3:2019+A1:2021 Annex F, analyzed by Ion Chromatograph Ultraviolet spectroscopy (IC-UV).
6. Soluble organic tin test method: BS EN 71-3:2019+A1:2021 Annex G, analyzed by Gas Chromatography - Mass Spectroscopy (GC-MS).
7. "R" = The test result is referred from identical material of other report according to applicant's request.
8. 9R = This data is refer to data of CTT2603031296EN-7.



Test Report


Report No.: CTT2603031333EN

Page 38 of 40

9. 12R = This data is refer to data of CTT2603031295EN-14.

Test Material List

Material No.	Sample Description	Location
1	White synthetic fiber	Front of clothes
2	White synthetic fiber	Back of clothes
3	Fuschia/white synthetic fiber	Skirt's hemline
4	Pink synthetic fiber	Skirt's hemline (net)
5	White synthetic fiber	Inside of skirt
6	Peach synthetic fiber	Lining
7	Dark brown synthetic fiber	Girdle
8	Multicolor synthetic fiber	Vest
9	White synthetic fiber with white rubber	Elastic rope
10	Beige white plastic with golden plating	Adjust band
11	White synthetic fiber	Velcro hook side
12	White synthetic fiber	Velcro loop side
13	Brown non-woven	Hat
14	White synthetic fiber with black synthetic fiber with red synthetic fiber	Label
15	Costume suit	Costume suit individual




Test Report

Report No.: CTT2603031333EN

Page 39 of 40

Photo of Sample:



Test Report

Report No.: CTT2603031333EN

Page 40 of 40



*** End of Report ***

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample and sample information are provided by the applicant, our company are not responsible for their integrity and authenticity. Unless otherwise stated the results shown in this report only apply to the sample as received. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. This report is only used for scientific research, teaching, internal quality control, not for domestic social impartiality proof data.

