

Test Report

Report No.: CTT2604031723EN

Page 1 of 16

Applicant: AFG Media Limited

Address: Ground Floor The Tun, 6-8 Jacksons Entry, Edinburgh, EH8 8PJ

Sample Received Date: Apr. 14, 2026

Testing Period: Apr. 14, 2026 - Apr. 27, 2026

Report Date: Apr. 27, 2026

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: Bumblebee Dress Kids

Test Model No.: MCKBB

Exported to: US,CAN

Other sample models of test samples: MCKBBT1/MCKBBS/MCKBBT2/MCKBBM

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).

Signed for and on Behalf of CTT:



Frank
Technical Manager




Verification Report



Zhejiang Consumer Testing
Technology Co., Ltd.

1-3/F., Building 5, Zone B, Shuangchuang Street, No.E21, Xinke Road, Choujiang Subdistrict, Yiwu, Jinhua, China
(Zhejiang)
Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com




Test Report

Report No.: CTT2604031723EN

Page 2 of 16

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	SOR/2016-193 and its amendments SOR/2022-122 Surface Coating Materials Regulations - Lead (Pb)	NA
2	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Canada Soluble Heavy Metal	NA
3	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Lead (Pb)	NA
4	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Mercury (Hg)	NA
5	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations - Lead	NA
6	US Public Law 110-314[Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] - Total Lead (Pb) in paint or surface coating	NA
7	ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating - Total Lead	NA
8	CPSC 16 CFR 1303 - Total Lead (Pb) in paint or surface coating	NA
9	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations - Lead (Pb)	PASS
10	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 27. - Soluble heavy metal elements	PASS
11	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2016-188 Phthalates Regulations - Phthalates	PASS
12	ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating - Soluble heavy metal elements	NA
13	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-Modeling Clays - Soluble heavy metal elements	PASS
14	ASTM F963-23 Section 4.3 Toxicology	PASS



Test Report

Report No.: CTT2604031723EN

Page 3 of 16

	4.3.5.2 Non-metallic Materials - Total Lead	
15	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in accessible substrate materials	PASS
16	ASTM F963-23, Section 4.3 Toxicology 4.3.8 Accessible plasticized component - Phthalates	PASS
17	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307 - Phthalates	PASS


NOTE: 1. NA = Not Applicable.

Test Result(s):

Lead (Pb) - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
(1+11)D	N.D.	PASS
15R	N.D.	PASS
17R	N.D.	PASS
19R	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "R" = The test result is referred from identical material of other report according to applicant's request.
 5. 15R = This data is refer to data of CTT2604030234EN-12.
 6. 17R = This data is refer to data of CTT2603033513EN-9.
 7. 19R = This data is refer to data of CTT2603033513EN-11.
 8. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.: CTT2604031723EN

Page 4 of 16

Test Result(s):

Soluble heavy metal elements - Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 27.

Method: ASTM F963-23


No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					17R
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.
6	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.
7	Soluble Selenium (Se)	7782-49-2	500	5	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 17R = This data is refer to data of CTT2604031722-6.

Test Result(s):

Phthalates - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2016-188 Phthalates Regulations

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					(1+11)D	15R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS



Test Report


Report No.: CTT2604031723EN

Page 5 of 16

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					17R	19R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	78	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					20	21
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "R" = The test result is referred from identical material of other report according to applicant's request.
 5. 15R = This data is refer to data of CTT2604030234EN-12.
 6. 17R = This data is refer to data of CTT2603033513EN-9.



Test Report

Report No.: CTT2604031723EN

Page 6 of 16

7. 19R = This data is refer to data of CTT2603033513EN-11.

8. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).


Test Result(s):

Soluble heavy metal elements - ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-Modeling Clays

Method: ASTM F963-23

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1	2
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					3	4
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS



Test Report


Report No.: CTT2604031723EN

Page 7 of 16

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					5	6
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					7	8
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					9	10
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS



Test Report


Report No.: CTT2604031723EN

Page 8 of 16

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					11	12
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					13	14
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					15R	16R
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS



Test Report


Report No.: CTT2604031723EN

Page 9 of 16

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					17R	18
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					19R
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 15R = This data is refer to data of CTT2604030234EN-12.
 5. 17R = This data is refer to data of CTT2603033513EN-9.
 6. 19R = This data is refer to data of CTT2603033513EN-11.
 7. 16R = This data is refer to data of CTT2603033513EN-8.



Test Report

Report No.: CTT2604031723EN

Page 10 of 16

Test Result(s):

Total Lead (Pb) in accessible substrate materials - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008 (CPSIA) Sec. 101] and 15 U.S.C. § 1278a

Method: CPSC-CH-E1002-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
1+11	N.D.	PASS
15R	N.D.	PASS
17R	N.D.	PASS
19R	N.D.	PASS

NOTE:


1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "R" = The test result is referred from identical material of other report according to applicant's request.
5. 15R = This data is refer to data of CTT2604030234EN-12.
6. 17R = This data is refer to data of CTT2603033513EN-9.
7. 19R = This data is refer to data of CTT2603033513EN-11.

Test Result(s):

Total Lead - ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-metallic Materials

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(1+11)D	N.D.	PASS
15R	N.D.	PASS
17R	N.D.	PASS
19R	N.D.	PASS

NOTE: 1. mg/kg = milligram per kilogram (ppm).



Test Report

Report No.: CTT2604031723EN


Page 11 of 16

2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "R" = The test result is referred from identical material of other report according to applicant's request.
5. 15R = This data is refer to data of CTT2604030234EN-12.
6. 17R = This data is refer to data of CTT2603033513EN-9.
7. 19R = This data is refer to data of CTT2603033513EN-11.
8. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.

Test Result(s):

Phthalates - ASTM F963-23, Section 4.3 Toxicology 4.3.8 Accessible plasticized component

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					(1+11)D	15R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.: CTT2604031723EN

Page 12 of 16

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					17R	19R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	78	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "R" = The test result is referred from identical material of other report according to applicant's request.
 5. 15R = This data is refer to data of CTT2604030234EN-12.
 6. 17R = This data is refer to data of CTT2603033513EN-9.
 7. 19R = This data is refer to data of CTT2603033513EN-11.
 8. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).



Test Report

Report No.: CTT2604031723EN

Page 13 of 16

Test Result(s):


Phthalates - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307

Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1+11	15R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					17R	19R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	78	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

NOTE: 1. mg/kg = milligram per kilogram (ppm).



Test Report


Report No.: CTT2604031723EN

Page 14 of 16

2. N.D. = Not Detected (Less than LOQ, LOQ= Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "R" = The test result is referred from identical material of other report according to applicant's request.
5. 15R = This data is refer to data of CTT2604030234EN-12.
6. 17R = This data is refer to data of CTT2603033513EN-9.
7. 19R = This data is refer to data of CTT2603033513EN-11.

Test Material List

Material No.	Sample Description	Location
1	Yellow/black synthetic fiber	Front of clothes
2	Black synthetic fiber	Back of clothes
3	Yellow synthetic fiber	Skirt's hemline
4	Yellow synthetic fiber	Skirt's hemline (net)
5	Black synthetic fiber	Surface of skirt's hemline
6	Black synthetic fiber	Sleeve
7	Light yellow synthetic fiber	Small pom pom
8	Black synthetic fiber	Ribbon
9	Yellow synthetic fiber	Ribbon
10	White synthetic fiber	Petal
11	Yellow synthetic fiber with black synthetic fiber	Wing body
12	Yellow non-woven	Oval slice
13	Black synthetic fiber	Covered edge
14	Yellow synthetic fiber	Large pom pom
15	Black synthetic fiber with black rubber	Elastic rope
16	Black synthetic fiber	Velcro loop side
17	Black plastic	Velcro hook side
18	Yellow synthetic fiber	Bandage
19	White synthetic fiber with black synthetic fiber with red synthetic fiber	Label
20	White plastic	Inside of fairy wand
21	Black plastic	Inside of headband



Test Report

Report No.: CTT2604031723EN

Page 15 of 16

Photo of Sample:



*** End of Report ***



Test Report

Report No.: CTT2604031723EN

Page 16 of 16

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample and sample information are provided by the applicant, our company are not responsible for their integrity and authenticity. Unless otherwise stated the results shown in this report only apply to the sample as received. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. This report is only used for scientific research, teaching, internal quality control, not for domestic social impartiality proof data.

