

Test Report

Report No.: CTT2603031035EN

Page 1 of 30

Applicant: AFG Media Limited

Address: Ground Floor The Tun, 6-8 Jacksons Entry, Edinburgh, EH8 8PJ

Sample Received Date: Mar. 14, 2026

Testing Period: Mar. 14, 2026 - Mar. 19, 2026

Report Date: Mar. 19, 2026

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: DOTD Sugar Skull Dress Girls

Test Model No.: MCKDSD

ASIN: B0BXCST7H/B0BXB8J352/B0BXB9RFKV/
B0BxBBG2BL/B0BxBBYJ96

Exported to: US,CAN


Other sample models of MCKDSDM/MCKDSDL/MCKDSDT2/
test samples: MCKDSDS/MCKDSDX

Packaging Provided: Yes

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).

Signed for and on Behalf of CTT:



Frank/Shelly
Technical Manager



Verification Report



Zhejiang Consumer Testing

Technology Co., Ltd.

1-3/F., Building 5, Zone B, Shuangchuang Street, No.E21, Xinke Road, Choujiang Subdistrict, Yiwu, Jinhua, China
(Zhejiang)


Tel: 86-0579-89986543

Website: <http://www.cttlab.com>

Fax: 86-0579-89986547

Email: enquiry@cttlab.com

Hot Line: 400 6789 666




Test Report

Report No.:CTT2603031035EN

Page 2 of 30

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	ASTM F963-23 - Physical and Mechanical Properties	PASS
2	ASTM F963-23 - Flammability	PASS
3	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 - Mechanical and Physical Properties	PASS
4	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 -Flammability	PASS
5	CPSC 16 CFR 1501 -Small Parts	NA
6	CPSIA Tracking Labels for Children's Products: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103	PASS
7	SOR/2016-193 and its amendments SOR/2022-122 Surface Coating Materials Regulations - Lead (Pb)	NA
8	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Canada Soluble Heavy Metal	NA
9	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Lead (Pb)	NA
10	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Mercury (Hg)	NA
11	ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating - Total Lead	NA
12	CPSC 16 CFR 1303 - Total Lead	NA
13	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] - Total Lead (Pb) in paint or surface coating	NA
14	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations - Lead (Pb)	PASS
15	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2016-188 Phthalates Regulations	PASS



Test Report

Report No.:CTT2603031035EN

Page 3 of 30

	- Phthalates	
16	ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating - Soluble heavy metal elements	NA
17	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-Modeling Clays - Soluble heavy metal elements	PASS
18	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Small Part Metallic Material - Extractable cadmium	NA
19	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-metallic Materials - Total Lead	PASS
20	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in accessible substrate materials	PASS
21	ASTM F963-23, Section 4.3 Toxicology 4.3.8 Accessible plasticized component - Phthalates	PASS
22	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307 - Phthalates	PASS

NOTE: 1. NA = Not Applicable.

Test Result(s):

Mechanical and Physical Properties - ASTM F963-23


Labeled age group: /

Appropriate age grading: 3+

Age grading for testing: 3+

Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		14
4	Safety Requirements	
4.1	Material Quality	PASS
4.3.7	Stuffing Materials	NA
4.4 ⁿ	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA
4.6	Small Objects	
4.6.1	Toys that are intended for children under 36 months of age	NA




Test Report

Report No.:CTT2603031035EN

Page 4 of 30

4.6.2 ⁿ	Mouth-actuated Toys	NA
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	NA
4.7	Accessible Edges	PASS
4.8	Projections	NA
4.9	Accessible Points	PASS
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	PASS
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.15.1	Stability of Ride-On Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	NA
4.15.6 ⁿ	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers(for 4.20.2)	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA
4.21.3	Projectile Toys without Stored Energy	NA
4.21.3.1 ⁿ	Mouth actuated projectile toys	NA
4.21.3.2	Projectiles shall not have any sharp edges or sharp points	NA
4.21.3.3	Arrows intended to be launched from a bow	NA
4.21.3.4	Projectiles in the form of an arrow	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated Toys(for4.25.1-4.25.8)	NA




Test Report

Report No.:CTT2603031035EN

Page 5 of 30

4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials (for 4.29.2 labeling)	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	
4.34.1	Toy intended for children under 36 months of age	NA
4.34.2	Toys intended for children at least 3 years old but less than 8 years of age that contain a loose small ball	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37 ⁿ	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
4.41.1 ⁿ	Lid Support	NA
4.41.2	Hinge Line Clearance	NA
4.41.3	Closures	NA
4.41.4	Ventilation	NA
4.41.5	Toy chests shall comply with the requirements listed in 6.8 for accompanying instructional literature and 7.3 for producer's markings	NA
5	Labeling Requirement	
5.1.2	Tracking Label	PASS
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA



Test Report

Report No.:CTT2603031035EN


Page 6 of 30

5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys	NA
5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	PASS
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled By an Adult	NA
6.5	Battery-Operated toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery	NA
7	Producer's Marking	
7.1	Name of the producer or the distributor	PASS
	Address of the producer or the distributor	PASS
7.2	Battery-Powered Ride-on Toys	NA
7.3	Toy Chests	NA

- Note:**
1. NA = Not Applicable
 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 3. Applicant should ensure to meet requirements of the standard.

The submitted samples were undergone the use and abuse tests in accordance with the ASTM F963-23

Testing Items	Parameter
Impact Test	4×3.0 ft
Torque Test	4.0 inch · lbf
Tension Test	15 lbf



Test Report

Report No.:CTT2603031035EN

Page 7 of 30

Test Result(s):

Flammability - ASTM F963-23 Annex A5

Sample Description	Ignition Location	Burn Length (inch)	Burn Time (sec.)	Burn Rate (inch/sec.)	Limit (inch/sec.)	Conclusion
						14
Head band	Edge	2.7	60	0.05	0.15	PASS


Note: 1. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.

Test Result(s):

Flammability - ASTM F963-23 Annex A6

Material No.	Sample Description	Location
14-1	Black knitted fabric	Costume
14-2	Pink satin	Costume
14-3	Black satin	Costume
14-4	Colourful fabric	Costume (bodice)
14-5	Colourful fabric	Costume (skirt's hemline)

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
14-1	--		Lengthwise	Crosswise
	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	




Test Report

Report No.:CTT2603031035EN

Page 8 of 30

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
14-2	--		Lengthwise	Crosswise
	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
14-3	--		Lengthwise	Crosswise
	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	




Test Report

Report No.:CTT2603031035EN

Page 9 of 30

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
	--		Lengthwise	Crosswise
14-4	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
	--		Lengthwise	Crosswise
14-5	As Received	1	DNI	/
		2	19.5	/
		3	31.3	/
		4	DNI	/
		5	DNI	/
		Average	25.4	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	IBE	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	



Test Report

Report No.:CTT2603031035EN

Page 10 of 30

The requirement of Plain Surface:

- 1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.
IBE: Ignited but extinguished
DNI: Did not ignite.
- 2) Average burn time is 3.5 s or greater.

Remark:


1. If only 1 of 5 specimens ignites and burns the stop cord with a time of 3.5 sec. or more, samples are acceptable.
2. If only 1 of 5 specimens ignites and burns the stop cord in less than 3.5 sec., test another set of 5 specimens. Compute the average time of flame spread for all 10 specimens. If 2 or more of these specimens ignite and burn the stop cord, average the results from those specimens. If only 1 of the 10 specimens ignites and burns the stop cord, samples are acceptable.

Test Result(s):

Mechanical and Physical Properties - SOR/2011-17

Labeled age group: /
Appropriate age grading: 3+
Age grading for testing: 3+
Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		14
3	General-Official languages	PASS
4	Packaging-Flexible film bags	PASS
5 ⁿ	Electrical Hazards-Electrically operated toys	NA
6 ⁿ	Electrical Hazards- Electrically heated toys	NA
7	Mechanical Hazards-Small parts	NA
8	Mechanical Hazards-Metal edges	NA
9	Mechanical Hazards-Wire frames	NA
10	Mechanical Hazards-Plastic edges	PASS
11	Mechanical Hazards-Wood	NA
12	Mechanical Hazards-Glass	NA
13	Mechanical Hazards-Fasteners	NA
14	Mechanical Hazards-Safety stops or locking devices-Folding mechanisms	NA
15	Mechanical Hazards-Spring-wound driving mechanisms	NA
16	Mechanical Hazards-Projectile components	NA
17	Mechanical Hazards-Enclosures	NA
18	Mechanical Hazards-Stability	NA



Test Report

Report No.:CTT2603031035EN


Page 11 of 30

19	Auditory Hazards-Decibel limit	NA
28	Dolls, Plush Toys and Soft Toys-Fastenings	NA
29	Dolls, Plush Toys and Soft Toys-Stuffing (a) and (b)	NA
30	Dolls, Plush Toys and Soft Toys-Small parts	NA
31	Dolls, Plush Toys and Soft Toys-Eyes or noses	NA
35	Plant seeds-Noise	NA
36	Plant seeds-Stuffing Material	NA
37	Pull and Push Toys-Shaft-like handle	NA
38 ⁿ	Toy Steam Engines-Boilers-safety valves	NA
39	Finger Paints-Water-based paints	NA
40	Rattles-Construction	NA
41	Elastics-Length or extensibility	NA
42	Yo-Yo type balls-Stretchable cords	NA
43	Magnetic Toys-Magnetic force	NA
44	Magnetic Toys-Exceptions	NA
45 ⁿ	Toys Intended to be Entered by a Child-Exception	NA
46 ⁿ	Toys Intended to be Entered by a Child-Requirements and testing	NA
47 ⁿ	Toys Intended to be Entered by a Child-Warning	NA

- Not e:**
1. NA = Not Applicable.
 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 3. Applicant should ensure to meet requirements of the standard.

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17:

Testing Items	Parameter
Drop test	4x0.914m
Pull test	44.5N
Push test	44.5N



Test Report

Report No.:CTT2603031035EN

Page 12 of 30

Test Result(s):

Flammability - SOR/2011-17


Section	Testing Items	Assessment
		14
21	Flammability Hazards-Celluloid or cellulose nitrate	PASS
32	Dolls, Plush Toys and Soft Toys-Flammability of outer covering	PASS
33	Dolls, Plush Toys and Soft Toys-Flammability of yarn	NA
34	Dolls, Plush Toys and Soft Toys-Flammability of hair or mane	NA
46 ⁿ	Toys Intended to be Entered by a Child-Requirements and testing	NA

Test Result(s):

Flammability

Material No.	Sample Description	Location
14-1	Black knitted fabric	Costume
14-2	Pink satin	Costume
14-3	Black satin	Costume
14-4	Colourful fabric	Costume (bodice)
14-5	Colourful fabric	Costume (skirt's hemline)

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
14-1	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	




Test Report

Report No.:CTT2603031035EN

Page 13 of 30

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
14-2	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	IBE
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
14-3	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	



Test Report

Report No.:CTT2603031035EN


Page 14 of 30

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
14-4	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
14-5	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	19.5	/
		3	31.3	/
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	IBE
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Requirement for Out Covering:

1.If the burn time is greater than 7.0s, the sample is considered to have passed the test.



Test Report

Report No.:CTT2603031035EN

Page 15 of 30

2.If specimen did not ignite or ignited but self-extinguished, it is considered to have passed the test.
3.If one of the five specimens fails, test five additional specimens. Two failures out of 10 specimens results in a failure of the product to pass the test requirement.

- Note:**
1. DNI: Did not ignite.
 2. IBE: Ignited but extinguished.


Test Result(s):

CPSC 16 CFR 1501- Small Parts

Labeled age group: /
Appropriate age grading: 3+
Age grading for testing: 3+
Applicant's Specified Testing Age Group: 3-14 years old

Test Item(s)	Requirements of Standard	Assessment
		14
CPSC 16 CFR 1501-Small parts	Toys and other article intended for use by children under 3 years of age shall not have small parts since it presents a choking, aspiration, or ingestion hazard. Toys and other article are subject to this requirement before or after use and abuse testing.	NA

- Note:**
1. NA = Not Applicable.
 2. Theabove-mentioned evaluation only comply with the received sample.



Test Report

Report No.:CTT2603031035EN

Page 16 of 30

Test Result(s):

CPSIA Tracking Labels for Children's Products (Visual)

Method: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103


Tracking label on the packaging ¹

Requirement	Result
	14
Name of the manufacture or the name of the private labeler.	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state.	Present
Date of the production of the product, in a form of Month/ Year or any other coding system.	Present
The cohort information(including the batch, run number, or other identifying characteristic.	Present
Permanent remark	*

Tracking label on the product ¹

Requirement	Result
	14
Name of the manufacture or the name of the private labeler	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state	Present
Date of the production of the product, in a form of Month/ Year or any other coding system	Present
The cohort information(including the batch, run number, or other identifying characteristic	Present
Permanent remark	*

- Note:**
1. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 2. Applicant should ensure to meet requirements of the standard.
 3. *=The client only provided artwork, the "Permanent remark" was not verified.



Test Report

Report No.:CTT2603031035EN

Page 17 of 30

Test Result(s):

Lead (Pb) - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
1D	17	PASS
7D	N.D.	PASS
10D	N.D.	PASS
15R	N.D.	PASS


NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 15R = This data is refer to data of CTT2603031033EN-12.
5. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.

Test Result(s):

Phthalates - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2016-188 Phthalates Regulations

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1D	7D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS



Test Report

Report No.:CTT2603031035EN


Page 18 of 30

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					10D	12+13
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					15R	
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	
Conclusion					PASS	

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed



Test Report

Report No.:CTT2603031035EN

Page 19 of 30

material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.

4. "R" = The test result is referred from identical material of other report according to applicant's request.

5. 15R = This data is refer to data of CTT2603031033EN-12.


6. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).

Test Result(s):

Soluble heavy metal elements - ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-Modeling Clays

Method: ASTM F963-23

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1	2
1	Soluble Antimony (Sb)	7440-36-0	60	5	9	14
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031035EN

Page 20 of 30

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					3	4
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					5	6
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031035EN

Page 21 of 30

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					7	8
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					9	10
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS



Test Report

Report No.:CTT2603031035EN

Page 22 of 30

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					11	15R
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	7	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS


- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 15R = This data is refer to data of CTT2603031033EN-12.

Test Result(s):

Total Lead (Pb) in accessible substrate materials - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a

Method: CPSC-CH-E1002-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
1	17	PASS
7	N.D.	PASS
10	N.D.	PASS
15R	N.D.	PASS



Test Report

Report No.:CTT2603031035EN

Page 23 of 30


- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 15R = This data is refer to data of CTT2603031033EN-12.

Test Result(s):

Total Lead - ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-metallic Materials

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
1D	17	PASS
7D	N.D.	PASS
10D	N.D.	PASS
15R	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 15R = This data is refer to data of CTT2603031033EN-12.
 5. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report


Report No.:CTT2603031035EN

Page 24 of 30

Test Result(s):

Phthalates - ASTM F963-23, Section 4.3 Toxicology 4.3.8 Accessible plasticized component

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1D	7D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031035EN

Page 25 of 30

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					10D	15R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 15R = This data is refer to data of CTT2603031033EN-12.
 5. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).



Test Report

Report No.:CTT2603031035EN


Page 26 of 30

Test Result(s):

Phthalates - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307

Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1	7
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS



Test Report

Report No.:CTT2603031035EN


Page 27 of 30

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					10	15R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 15R = This data is refer to data of CTT2603031033EN-12.

Test Material List

Material No.	Sample Description	Location
1	Multicolor synthetic fiber	Skirt body
2	White synthetic fiber	Inside of front of clothes
3	Black synthetic fiber	Back of clothes
4	Black synthetic fiber	Back of skirt's hemline
5	Pink synthetic fiber	Sleeve
6*	Black synthetic fiber	Velcro
7*	Black plastic	Velcro
8	Yellow synthetic fiber	Flower
9	Purple synthetic fiber	Flower



Test Report


Report No.:CTT2603031035EN

Page 28 of 30

10	Black synthetic fiber with black rubber	Elastic rope
11	Black synthetic fiber	Outside of headband
12	White plastic	Inside of headband
13	White synthetic fiber with white rubber	Elastic rope
14	Costume suit	Costume suit individual
15	White synthetic fiber with black synthetic fiber with red synthetic fiber	Label

Note: The testing material(s) marked "*" was (were) taken from components/raw material(s).

Photo of Sample:




Test Report

Report No.:CTT2603031035EN

Page 29 of 30



End of Report



Test Report

Report No.:CTT2603031035EN

Page 30 of 30

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample and sample information are provided by the applicant, our company are not responsible for their integrity and authenticity. Unless otherwise stated the results shown in this report only apply to the sample as received. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. This report is only used for scientific research, teaching, internal quality control, not for domestic social impartiality proof data.

