

Test Report

Report No.: CTT2505030773ENR2

Page 1 of 39

Applicant: AFG Media Limited

Address: Ground Floor The Tun, 6-8 Jacksons Entry, Edinburgh, EH8 8PJ

Sample Received Date: May 09, 2025

Testing Period: May 09, 2025 - Mar. 31, 2026

Report Date: Apr. 19, 2026

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: Cleopatra Blue Girls

Sample Model: MCKGC

P/O No.: ED52

Buyer: AFG Media Limited

Other sample models of MCKGCS/MCKGCL/MCKGCM/MCKGCX

test samples:

Packaging Provided: Yes

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).

Signed for and on Behalf of CTT:



Frank/Shelly/Kent
Technical Manager




Verification Report



Zhejiang Consumer Testing
Technology Co., Ltd.

1-3/F., Building 5, Zone B, Shuangchuang Street, No.E21, Xinke Road, Choujiang Subdistrict, Yiwu, Jinhua, China
(Zhejiang)
Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com




Test Report

Report No.: CTT2505030773ENR2

Page 2 of 39

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	Textiles and textile products - Part 2: Safety of children's clothing - Security of attachment of buttons	NA
2	Textiles and textile products - Part 3: Safety of children's clothing-Security of attachment of metal mechanically applied press fasteners	NA
3	Textiles and textile products - Part 4 Safety of children's clothing-Security of attachment of components except buttons and metal mechanically applied press fasteners	PASS
4	Flammability(CPSC 16 CFR 1610: Flammability Test)	PASS
5	CPSC 16 CFR 1501 -Small Parts	NA
6	Labeling requirement (Washing/ Cleaning Label, CE mark, importer/ manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys	PASS
7	CPSIA Tracking Labels for Children's Products: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103	PASS
8	ASTM F963-23 - Physical and Mechanical Properties	PASS
9	ASTM F963-23 - Flammability	PASS
10	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 - Mechanical and Physical Properties	PASS
11	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 -Flammability	PASS
12	EN 71-1:2014+A1:2018, European Standard Safety of toys - Part 1:Mechanical and Physical Properties	PASS
13	EN 71-2:2020 European Standard Safety of toys - Part 2: Flammability	PASS
14	EN 14682:2014 Safety of children's clothing Cords and Drawstrings on children's clothing Specifications	PASS
15	Canada Consumer Product Safety Act (CCPSA) SCHEDULE 2 Section 10 - Tris-(2,3-dibromopropyl)phosphate (TRIS)	PASS
16	CPSC 16 CFR 1303 - Total Lead (Pb) in paint or surface coating	NA
17	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21,	PASS




Test Report

Report No.: CTT2505030773ENR2

Page 3 of 39

	SOR/2018-83 Consumer Products Containing Lead Regulations - Lead (Pb)	
18	SOR/2016-193 and its amendments SOR/2022-122 Surface Coating Materials Regulations - Lead (Pb)	NA
19	Client's Requirement (Reference to SOR/2016-188 "Phthalates Regulations" (Can not be placed in mouth by children)) - Phthalates	PASS
20	ASTM F963-23 Section 4.3.5.2 (Non-Modeling Clays) - Soluble Heavy Metal	PASS
21	EN 71-3:2019 +A1:2021(Category III) - Migration of certain elements	PASS
22	Annex XVII items 72 of the REACH Regulation (EC) No. 1907/2006 - Formaldehyde	PASS
23	California Proposition 65, Alameda Superior Court, Case No. HG12633575 - Formaldehyde	PASS
24	Annex XVII items 63 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Lead (Pb)	PASS
25	California Proposition 65, Case No. BG07350969 - Lead (Pb)	PASS
26	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] - Lead (Pb)	PASS
27	Annex XVII items 23 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Cadmium (Cd)	PASS
28	Annex XVII items 43 of the REACH Regulation (EC) No. 1907/2006 & amended(EC) No.552/2009. - Azo Dyes	PASS
29	Annex XVII items 50 of the REACH Regulation (EC) No 1907/2006 Class III - Polycyclic aromatic hydrocarbons (PAHs)	PASS
30	Annex XVII items 72 of the REACH Regulation (EC) No 1907/2006 - Polycyclic aromatic hydrocarbons (PAHs)	PASS
31	Annex XVII items 51&52 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Phthalates	PASS
32	California Proposition 65, Case No.BG07350969 - Phthalates	PASS



Test Report

Report No.: CTT2505030773ENR2

Page 4 of 39

33	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108]and CPSC 16 CFR 1307 - Phthalates	PASS
34	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Canada Soluble Heavy Metal	NA
35	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Lead (Pb)	NA
36	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Mercury	NA

NOTE: 1. NA = Not Applicable.

Test Result(s):


Textiles and textile products - Part 2: Safety of children's clothing - Security of attachment of buttons

Method:EN 17394-2-2020 modified ^{s,n}

Material No.	11					
Test Results					Requirement	Conclusion
Component	Largest dimension (mm)	Tension strength (N)	Mode of failure	Small part		
--	--	--	--	--	--	NA

Material No.	12					
Test Results					Requirement	Conclusion
Component	Largest dimension (mm)	Tension strength (N)	Mode of failure	Small part		
--	--	--	--	--	--	NA

Remark:NA=Not applicable



Test Report

Report No.: CTT2505030773ENR2

Page 5 of 39


Test Result(s):

Textiles and textile products - Part 3: Safety of children's clothing-Security of attachment of metal mechanically applied press fasteners

Method: CEN TS 17394-3-2021 modified ^{s,n}

Material No.	11					
Test Results					Requirement	Conclusion
Component	Largest dimension (mm)	Tension strength (N)	Mode of failure	Small part		
--	--	--	--	--	--	NA

Material No.	12					
Test Results					Requirement	Conclusion
Component	Largest dimension (mm)	Tension strength (N)	Mode of failure	Small part		
--	--	--	--	--	--	NA

Remark: NA=Not applicable

Test Report

Report No.: CTT2505030773ENR2

Page 6 of 39

Test Result(s):

Textiles and textile products - Part 4 Safety of children's clothing-Security of attachment of components except buttons and metal mechanically applied press fasteners

Method: CEN TS 17394-4-2021 modified ^{s,n}


Test procedure: Machine wash at 40 °C with 1kg total wash load(knitted polyester ballast + specimen), 40g Non-Phosphate reference detergent and 10g Sodium perborate tetrahydrate(77% ECE(A)+3%TAED+20%sodium perborate), Tumble dried at the hottest for 90min.

Material No.	Test Results				Requirement	Conclusion
	Component	Assessment of change	Mode of failure	Small part		
11	Rhinestones 1	A	/	No	The component shall not be detached. No detached component or part of component shall be a small part.	PASS
	Rhinestones 2	A	/	No		
	Velcro tape	A	/	No		
12	Sequins	A	/	No	The component shall not be detached. No detached component or part of component shall be a small part.	PASS
	Velcro tape	A	/	No		

Note:

Assessment of change:

- A** No change, i.e. no visible change in attachment
- B** Negligible change, i.e. visible change, but component remains securely attached
- C** Slight change, i.e. detectable loosening of component
- D** Distinct change, i.e. visibly obvious breakdown of the means of attachment and/or fabric breakdown
- E** Detached, i.e. complete removal of the component.



Test Report

Report No.: CTT2505030773ENR2

Page 7 of 39

Test Result(s):

Flammability Test

Method: CPSC 16 CFR 1610

Material No.	Information of Exemption material	Conclusion
9	After tested: ➤ Fabric which made entirely of polyester.	PASS

Remark:

The sample is exempt from flammability testing in accordance with:

CPSC 16 CFR 1610.1(d)(2): Fabric which made entirely or in combination of acrylic, modacrylic, nylon, olefin, polyester, wool fibers.

Remark:

Zhejiang Consumer Testing Technology Co., Ltd. is the US Consumer Product Safety Commission (CPSC) Accredited Third Party Testing Laboratory, identification number is 1362, and shall refer to <http://www.cpsc.gov/cgi-bin/labsearch/>.

Test Result(s):

CPSC 16 CFR 1501- Small Parts

Labeled age group: /

Appropriate age grading: 3+

Age grading for testing: 3+


Applicant's Specified Testing Age Group: 3-14 years old

Test Item(s)	Requirements of Standard	Assessment
		10**
CPSC 16 CFR 1501-Small parts	Toys and other article intended for use by children under 3 years of age shall not have small parts since it presents a choking, aspiration, or ingestion hazard. Toys and other article are subject to this requirement before or after use and abuse testing.	NA

1. NA = Not Applicable.

Note: 2. The above-mentioned evaluation only comply with the received sample.

3. "***" = The test sample(s) is received on Mar. 29, 2026.



Test Report

Report No.: CTT2505030773ENR2

Page 8 of 39

Test Result(s):

Labeling Requirement - Directive 2009/48/ECⁿ

Test Item	Assessment	Location	Conclusion
			10**
Manufacture's Name& Address	Found	Toy/packaging	PASS
Importer's Name& Address	Found	Toy/packaging	PASS
Product ID	Found	Toy/packaging	PASS
CE Mark	Found	Toy/packaging	PASS
Washing/Cleaning instruction	Found	Toy/packaging	PASS


- Note:**
1. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 2. Applicant should ensure to meet requirements of the standard.
 3. "***" = The test sample(s) is received on Mar. 29, 2026.

Test Result(s):

CPSIA Tracking Labels for Children's Products (Visual)

Method: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103
Tracking label on the packaging ¹

Requirement	Result
	10**
Name of the manufacture or the name of the private labeler.	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state.	Present
Date of the production of the product, in a form of Month/ Year or any other coding system.	Present
The cohort information(including the batch, run number, or other identifying characteristic.	Present
Permanent remark	*



Test Report

Report No.: CTT2505030773ENR2

Page 9 of 39

Tracking label on the product ¹

Requirement	Result
	10**
Name of the manufacture or the name of the private labeler	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state	Present
Date of the production of the product, in a form of Month/ Year or any other coding system	Present
The cohort information(including the batch, run number, or other identifying characteristic	Present
Permanent remark	*


- Note:**
1. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 2. Applicant should ensure to meet requirements of the standard.
 - 3.*=The client only provided artwork, the "Permanent remark" was not verified.
 4. "***" = The test sample(s) is received on Mar. 29, 2026.

Test Result(s):

Mechanical and Physical Properties - ASTM F963-23

Labeled age group: /
 Appropriate age grading: 3+
 Age grading for testing: 3+
 Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		10
4	Safety Requirements	
4.1	Material Quality	PASS
4.3.7	Stuffing Materials	PASS
4.4 ⁿ	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA
4.6	Small Objects	
4.6.1	Toys that are intended for children under 36 months of age	NA
4.6.2 ⁿ	Mouth-actuated Toys	NA
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	NA
4.7	Accessible Edges	PASS




Test Report

Report No.: CTT2505030773ENR2

Page 10 of 39

4.8	Projections	NA
4.9	Accessible Points	PASS
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	PASS
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.15.1	Stability of Ride-On Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	NA
4.15.6 ⁿ	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers (for 4.20.2)	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA
4.21.3	Projectile Toys without Stored Energy	NA
4.21.3.1 ⁿ	Mouth actuated projectile toys	NA
4.21.3.2	Projectiles shall not have any sharp edges or sharp points	NA
4.21.3.3	Arrows intended to be launched from a bow	NA
4.21.3.4	Projectiles in the form of an arrow	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated Toys (for 4.25.1-4.25.8)	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-type Toys	NA
4.28	Stroller and Carriage Toys	NA




Test Report

Report No.: CTT2505030773ENR2

Page 11 of 39

4.29	Art Materials (for 4.29.2 labeling)	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	
4.34.1	Toy intended for children under 36 months of age	NA
4.34.2	Toys intended for children at least 3 years old but less than 8 years of age that contain a loose small ball	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37 ⁿ	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
4.41.1 ⁿ	Lid Support	NA
4.41.2	Hinge Line Clearance	NA
4.41.3	Closures	NA
4.41.4	Ventilation	NA
4.41.5	Toy chests shall comply with the requirements listed in 6.8 for accompanying instructional literature and 7.3 for producer's markings	NA
5	Labeling Requirement	
5.1.2	Tracking Label	PASS
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys	NA



Test Report

Report No.: CTT2505030773ENR2

Page 12 of 39

5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	PASS
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled By an Adult	NA
6.5	Battery-Operated toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery	NA
7	Producer's Marking	
7.1	Name of the producer or the distributor	PASS
	Address of the producer or the distributor	PASS
7.2	Battery-Powered Ride-on Toys	NA
7.3	Toy Chests	NA


Note: 4. NA = Not Applicable

5. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.

6. Applicant should ensure to meet requirements of the standard.

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

Testing Items	FHSA	Parameter
Drop Test	Section 1500.53(b)	4×3.0 ft
Torque Test	Section 1500.53(e)	4.0 inch ·lbf
Tension Test	Section 1500.53(f)	15 lbf



Test Report

Report No.: CTT2505030773ENR2

Page 13 of 39

Test Result(s):

Flammability - ASTM F963-23 Annex A5

Sample Description	Ignition Location	Burn Length (inch)	Burn Time (sec.)	Burn Rate (inch/sec.)	Limit (inch/sec.)	Conclusion
						10**
Headpiece	Edge	/	/	IBE	0.15	PASS
Collar	Edge	1.8	60	0.03	0.15	PASS
Arm cuff	Edge	/	/	IBE	0.15	PASS


- Note:**
- 1.IBE = Ignited but self-extinguished before burn-rate could be determined.
 - 2.All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.
 3. "***" = The test sample(s) is received on May 22, 2025.

Test Result(s):

Flammability - ASTM F963-23 Annex A6

Material No.	Sample Description	Location
10-1	White chiffon	Costume
10-2	Blue chiffon	Costume
10-3	Blue mesh with golden fabric	Costume
10-4	White knitted fabric	Costume

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
10-1	--		Lengthwise	Crosswise
	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	IBE	/
		4	DNI	/
		5	DNI	/



Test Report


Report No.: CTT2505030773ENR2

Page 14 of 39

		Average	/	/
		Conclusion	PASS	

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
10-2	--		Lengthwise	Crosswise
	As Received	1	IBE	/
		2	18.4	/
		3	IBE	/
		4	12.4	/
		5	IBE	/
		Average	15.4	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	13.8	/
		3	DNI	/
		4	DNI	/
		5	21.6	/
		Average	17.7	/
		Conclusion	PASS	

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
10-3	--		Lengthwise	Crosswise
	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/



Test Report

Report No.: CTT2505030773ENR2

Page 15 of 39

		Average	/	/
		Conclusion	PASS	


Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
10-4	--		Lengthwise	Crosswise
	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	

The requirement of Plain Surface:

- 1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.
IBE: Ignited but extinguished
DNI: Did not ignite.
- 2) Average burn time is 3.5 s or greater.

Remark:

1. If only 1 of 5 specimens ignites and burns the stop cord with a time of 3.5 sec. or more, samples are acceptable.
2. If only 1 of 5 specimens ignites and burns the stop cord in less than 3.5 sec., test another set of 5 specimens. Compute the average time of flame spread for all 10 specimens. If 2 or more of these specimens ignite and burn the stop cord, average the results from those specimens. If only 1 of the 10 specimens ignites and burns the stop cord, samples are acceptable.



Test Report

Report No.: CTT2505030773ENR2


Page 16 of 39

Test Result(s):

Mechanical and Physical Properties - SOR/2011-17

Labeled age group: /
 Appropriate age grading: 3+
 Age grading for testing: 3+
 Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		10
3	General-Official languages	PASS
4	Packaging-Flexible film bags	PASS
7	Small parts	NA
8	Metal edges	NA
9	Wire frames	NA
10	Plastic edges	PASS
11	Wood	NA
12	Glass	NA
13	Fasteners	NA
14	Safety stops or locking devices-Folding mechanisms	NA
15	Spring-wound driving mechanism	NA
16	Projectile component	NA
17	Enclosures	NA
18	Stability	NA
19	Auditory hazards-Decibel limit	NA
28	Dolls, Plush toys or Soft toys-Fastening	NA
29	Dolls, Plush toys or Soft toys-Stuffing materials (a) and (b)	PASS
30	Dolls, Plush toys or Soft toys-Small parts	NA
31	Dolls, Plush toys or Soft toys-Eyes or nose	NA
35	Plant seeds-Noise	NA
36	Plant seeds-Stuffing Material	PASS
37	Pull and push toys-Shaft-like handles	NA
38 ⁿ	Toy steam engines	NA
39	Finger paints	NA
40	Rattles	NA
41	Elastics	NA
42	Yo-Yo type balls	NA
43	Magnetic toys	NA
44	Exceptions	NA



Test Report

Report No.: CTT2505030773ENR2

Page 17 of 39

Note:

1. NA = Not Applicable.

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17:

Testing Items	Parameter
Drop test	4x0.914m
Pull test	44.5N
Push test	44.5N

Test Result(s):

Flammability - SOR/2011-17


Section	Testing Items	Assessment
		10
21	Flammability hazards-Celluloid or cellulose nitrate	PASS
32	Dolls, Plush toys or Soft toys-Flammability of outer covering	PASS
33	Dolls, Plush toys or Soft toys-Flammability of yarn	NA
34	Dolls, Plush toys or Soft toys-Flammability of hair or mane	NA

Test Result(s):

Flammability

Material No.	Sample Description	Location
10-1	White chiffon	Costume
10-2	Blue chiffon	Costume
10-3	Blue mesh with golden fabric	Costume
10-4	White knitted fabric	Costume
10-5	Blue mesh with sequin	Costume
10-6	Golden fabric with foam	Costume

Material No.	Test Sample	Out Covering		
		1s Flame Impingement		
10-1	Test Direction: Lengthwise	Flame Spread Time(s)	Remarks	
	As Received	1	/	DNI
		2	/	DNI



Test Report


Report No.: CTT2505030773ENR2

Page 18 of 39

		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
10-2	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	IBE
		2	18.4	/
		3	/	IBE
		4	12.4	/
		5	/	IBE
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	13.8	/
		3	/	DNI
		4	/	DNI
		5	21.6	/
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
10-3	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI



Test Report


Report No.: CTT2505030773ENR2

Page 19 of 39

	After Laundering	Conclusion	PASS	
		1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
10-4	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
10-5	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After	1	/	DNI



Test Report

Report No.: CTT2505030773ENR2

Page 20 of 39


	Laundering	2	52.0	/
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
10-6	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	21.0	/
		2	14.9	/
		3	/	DNI
		4	/	DNI
		5	12.3	/
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	20.9	/
		Conclusion	PASS	

Requirement for Out Covering:

- 1.If the burn time is greater than 7.0s, the sample is considered to have passed the test.
- 2.If specimen did not ignite or ignited but self-extinguished, it is considered to have passed the test.
- 3.If one of the five specimens fails, test five additional specimens. Two failures out of 10 specimens results in a failure of the product to pass the test requirement.

- Note:**
1. DNI: Did not ignite.
 2. IBE: Ignited but extinguished.



Test Report

Report No.: CTT2505030773ENR2

Page 21 of 39

Test Result(s):

Mechanical and Physical Test - EN 71-1:2014+A1:2018


Labeled age group: /

Appropriate age grading: 3+

Age grading for testing: 3+

Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		10
4	General requirements	
4.1	Material cleanliness	PASS
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	PASS
4.8	Points and metallic wires	PASS
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth a),b)&d)	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	
4.14.1	Toys which a child can enter a)&b)	NA
4.14.2	Masks and helmets	NA
4.15	Toys intended to bear the mass of a child	NA
4.15.1 ⁿ	Toys propelled by the child or by other means	NA
4.15.2 ⁿ	Toy bicycles	NA
4.15.3	Rocking horses and similar toys	NA
4.15.4	Toys not propelled by a child	NA
4.15.5 ⁿ	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA




Test Report

Report No.: CTT2505030773ENR2

Page 22 of 39

4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	PASS
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6 ⁿ	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibers	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	PASS
7	Warnings, markings and instructions for use	
7.1	General	PASS
7.2	Toys not intended for children under 36 months	PASS
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA



Test Report

Report No.: CTT2505030773ENR2

Page 23 of 39

7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Note:

1. NA = Not Applicable
2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
3. Applicant should ensure to meet requirements of the standard.


Remark:

Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- Manufacturer's name was present and Manufacturer's address was present.



Test Report

Report No.: CTT2505030773ENR2

Page 24 of 39

- Importer's name was present and Importer's address was present.
- CE-Marking was present.
- Product ID was present.

The submitted samples were undergone the use and abuse tests in accordance with the EN 71-1:2014+A1:2018


Testing Items	Parameter
Torque test	0.34Nm
Tension test	90N
Drop test	5×850mm
Impact test	1×1Kg×100mm

Test Result(s):

Flammability - EN 71-2:2020

Section	Testing Items	Assessment
		10
4.1	General requirements	PASS*
4.2	Toys to be worn on the head	PASS
4.3	Toy disguise costumes and toys intended to be worn by a child in play	PASS
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

- Note:**
1. NA = Not Applicable.
 2. "*" = This section excluding: Flammable gases, extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels.



Test Report

Report No.: CTT2505030773ENR2

Page 25 of 39

Test Result(s):

Safety of children's clothing Cords and Drawstrings on children's clothing Specifications - EN 14682:2014

Labeled age group: /
 Appropriate age grading: 3+
 Age grading for testing: 3+
 Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		10
3	Requirements	
3.1	General	PASS
3.2	Head, neck and upper chest area on garments for young children	PASS
3.3	Head, neck and upper chest area on garments for older children and young persons	NA
3.4	Chest and waist area	NA
3.5	Lower edge of garments which hang below the crotch	NA
3.6	Back area	PASS
3.7	Sleeves	NA
3.8	Other parts of the garment	NA

Note:

1. NA = Not Applicable.

Test Result(s):


Tris-(2,3-dibromopropyl)phosphate (TRIS) - Canada Consumer Product Safety Act (CCPSA) SCHEDULE 2
 Section 10

Method: EPA 3550C:2007 & EPA 8270E:2018 ^{s,n}

Substances	Tris-(2,3-dibromopropyl)phosphate (TRIS)	Conclusion
CAS No.	126-72-7	
LOQ (mg/kg)	5	
Limit (mg/kg)	5	
Material No.	Result (mg/kg)	
1	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).



Test Report

Report No.: CTT2505030773ENR2

Page 26 of 39

Test Result(s):

Lead (Pb) - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
(6+7+8)D	16	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.


Test Result(s):

Phthalates - Client's Requirement (Reference to SOR/2016-188 "Phthalates Regulations" (Can not be placed in mouth by children))

Substances	Bis(2-ethylhexyl) phthalate (DEHP)	Butyl benzyl phthalate (BBP)	Di-butyl phthalate (DBP)	Conclusion
CAS No.	117-81-7	85-68-7	84-74-2	
LOQ (mg/kg)	50	50	50	
Limit (mg/kg)	1000	1000	1000	
Material No.	Result (mg/kg)			
(6+7+8)D	555	N.D.	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).



Test Report

Report No.: CTT2505030773ENR2

Page 27 of 39

Test Result(s):

Soluble Heavy Metal - ASTM F963-23 Section 4.3.5.2 (Non-Modeling Clays)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					4D
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.
Conclusion					PASS


- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "D" = The sample(s) is(are) tested according to the method EN 71-3:2019+A1:2021.

Test Result(s):

Migration of certain elements - EN 71-3:2019 +A1:2021(Category III)

Method: EN 71-3:2019+A1:2021ⁿ

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					4
1	Soluble Aluminum (Al)	7429-90-5	28130	5	42
2	Soluble Antimony (Sb)	7440-36-0	560	5	N.D.
3	Soluble Arsenic (As)	7440-38-2	47	2.5	N.D.
4	Soluble Barium (Ba)	7440-39-3	18750	5	N.D.
5	Soluble Boron (B)	7440-42-8	15000	5	N.D.
6	Soluble Cadmium (Cd)	7440-43-9	17	5	N.D.
7	Soluble Cobalt (Co)	7440-48-4	130	5	N.D.
8	Soluble Copper (Cu)	7440-50-8	7700	5	15
9	Soluble CrIII	--	460	2.0	N.D.
10	Soluble CrVI	18540-29-9	0.053	0.025	N.D.
11	Soluble Lead (Pb)	7439-92-1	23	5	N.D.
12	Soluble Manganese (Mn)	7439-96-5	15000	5	N.D.
13	Soluble Mercury (Hg)	7439-97-6	94	5	N.D.
14	Soluble Nickel (Ni)	7440-02-0	930	5	N.D.



Test Report

Report No.: CTT2505030773ENR2

Page 28 of 39

15	Soluble Organic tin	--	12	2.5	N.D.
16	Soluble Selenium (Se)	7782-49-2	460	5	N.D.
17	Soluble Strontium (Sr)	7440-24-6	56000	5	N.D.
18	Soluble Tin (Sn)	7440-31-5	180000	2.5	N.D.
19	Soluble Zinc (Zn)	7440-66-6	46000	5	17
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. Migration of organic tin was calculated by summation of the migration values of Methyl tin, Dimethyl tin, Di-n-propyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Diphenyl tin, Triphenyl tin and was expressed as tributyltin cation content. However other organic tin compounds may also be present in the sample, The Toy Safety Directive (2009/48/EC) requirement covers total migratable organic tin.
 4. The soluble organic tin content were reported as the soluble tin content, the soluble organic tin was not conducted due to the soluble tin is not detected (<2.5mg/kg).
 5. Soluble chromium (VI) test method: EN 71-3:2019+A2:2024 Annex F, analyzed by Ion Chromatograph Ultraviolet spectroscopy (IC-UV).
 6. Soluble organic tin test method: EN 71-3:2019+A2:2024 Annex G, analyzed by Gas Chromatography - Mass Spectroscopy (GC-MS).
 7. "--" = Not Applicable.


Test Result(s):

Formaldehyde - Annex XVII items 72 of the REACH Regulation (EC) No. 1907/2006

Method: EN ISO 14184-1:2011

Substances	Formaldehyde	Conclusion
CAS No.	50-00-0	
LOQ (mg/kg)	16	
Limit (mg/kg)	75	
Material No.	Result (mg/kg)	
1+2	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT2505030773ENR2

Page 29 of 39

Test Result(s):

Formaldehyde - California Proposition 65, Alameda Superior Court, Case No. HG12633575

Substances	Formaldehyde	Conclusion
CAS No.	50-00-0	
LOQ (mg/kg)	16	
Limit (mg/kg)	75	
Material No.	Result (mg/kg)	
(1+2)D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method EN ISO 14184-1:2011.


Test Result(s):

Lead (Pb) - Annex XVII items 63 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	500	
Material No.	Result (mg/kg)	
(6+7+8)D	16	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.: CTT2505030773ENR2

Page 30 of 39

Test Result(s):

Lead (Pb) - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101]

Method: CPSC-CH-E1002-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
6+7+8	16	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.


Test Result(s):

Lead (Pb) - California Proposition 65, Case No. BG07350969

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	600	
Material No.	Result (mg/kg)	
(6+7+8)D	16	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.: CTT2505030773ENR2

Page 31 of 39

Test Result(s):

Cadmium (Cd) - Annex XVII items 23 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Method: CPSC-CH-E1002-08.3ⁿ

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
6+7+8	N.D.	PASS

NOTE:


1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.

Test Result(s):

Azo Dyes - Annex XVII items 43 of the REACH Regulation (EC) No. 1907/2006 & amended (EC) No. 552/2009.

Method: EN ISO 14362-1:2017 & EN ISO 14362-3:2017

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					3+5
1	2,4,5-trimethylaniline	137-17-7	30	5	N.D.
2	2-anisidine	90-04-0	30	5	N.D.
3	2-naphthylamine	91-59-8	30	5	N.D.
4	3,3'-dichlorobenzidine	91-94-1	30	5	N.D.
5	3,3'-dimethoxybenzidine	119-90-4	30	5	N.D.
6	3,3'-dimethylbenzidine	119-93-7	30	5	N.D.
7	4,4'-diaminodiphenylmethane	101-77-9	30	5	N.D.
8	4,4'-methylene-bis-(2-chloro-aniline)	101-14-4	30	5	N.D.
9	4,4'-methylenedi-o-toluidine	838-88-0	30	5	N.D.
10	4,4'-oxydianiline	101-80-4	30	5	N.D.
11	4,4'-thiodianiline	139-65-1	30	5	N.D.
12	4-aminoazobenzene	60-09-3	30	5	N.D.
13	4-aminobiphenyl	92-67-1	30	5	N.D.
14	4-chloro-o-toluidine	95-69-2	30	5	N.D.
15	4-chloroaniline	106-47-8	30	5	N.D.



Test Report

Report No.: CTT2505030773ENR2

Page 32 of 39

16	4-methoxy-m-phenylenediamine	615-05-4	30	5	N.D.
17	4-methyl-m-phenylenediamine	95-80-7	30	5	N.D.
18	5-nitro-o-toluidine	99-55-8	30	5	N.D.
19	benzidine	92-87-5	30	5	N.D.
20	o-aminoazotoluene	97-56-3	30	5	N.D.
21	o-toluidine	95-53-4	30	5	N.D.
22	p-cresidine	120-71-8	30	5	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. The CAS No. 97-56-3 (No.5) and 99-55-8 (No.6) are further reduced to CAS No.95-53-4 (No.18) and 95-80-7(No.19).
 4. Azo colorants that are able to form 4-aminoazobenzene(No.22), generate under the condition of this method aniline and 1, 4-phenylenediamine, therefore, the method of EN ISO 14362-3:2017 was employed to verify the 4-aminoazobenzene.
 5. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.


Test Result(s):

Polycyclic aromatic hydrocarbons (PAHs) - Annex XVII items 50 of the REACH Regulation (EC) No 1907/2006 Class III

Method: AfPS GS 2019:01 PAK

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					6+7+8
1	Benzo(a)anthracene (BaA)	56-55-3	0.5	0.20	N.D.
2	Benzo(a)pyrene (BaP)	50-32-8	0.5	0.20	N.D.
3	Benzo(b)fluoranthene (BbF)	205-99-2	0.5	0.20	N.D.
4	Benzo(e)pyrene (BeP)	192-97-2	0.5	0.20	N.D.
5	Benzo(j)fluoranthene (BjF)	205-82-3	0.5	0.20	N.D.
6	Benzo(k)fluoranthene (BkF)	207-08-9	0.5	0.20	N.D.
7	Chrysene (CHR)	218-01-9	0.5	0.20	N.D.
8	Dibenzo(a,h)anthracene (DBA)	53-70-3	0.5	0.20	N.D.
Conclusion					PASS

- NOTE:** 1. mg/kg = milligram per kilogram (ppm).



Test Report

Report No.: CTT2505030773ENR2

Page 33 of 39

2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.


Test Result(s):

Polycyclic aromatic hydrocarbons (PAHs) - Annex XVII items 72 of the REACH Regulation (EC) No 1907/2006

Method: AfPS GS 2019:01 PAK

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1+2
1	Benzo(a)anthracene (BaA)	56-55-3	1	0.20	N.D.
2	Benzo(a)pyrene (BaP)	50-32-8	1	0.20	N.D.
3	Benzo(b)fluoranthene (BbF)	205-99-2	1	0.20	N.D.
4	Benzo(e)pyrene (BeP)	192-97-2	1	0.20	N.D.
5	Benzo(j)fluoranthene (BjF)	205-82-3	1	0.20	N.D.
6	Benzo(k)fluoranthene (BkF)	207-08-9	1	0.20	N.D.
7	Chrysene (CHR)	218-01-9	1	0.20	N.D.
8	Dibenzo(a,h)anthracene (DBA)	53-70-3	1	0.20	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT2505030773ENR2

Page 34 of 39


Test Result(s):

Phthalates - Annex XVII items 51&52 of the REACH Regulation (EC) No. 1907/2006 and its amendment

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					(6+7+8)D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	--	50	555
2	Butyl benzyl phthalate (BBP)	85-68-7	--	50	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	--	50	N.D.
4	Di-iso-butyl phthalate (DIBP)	84-69-5	--	50	N.D.
5	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	--	100	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	--	100	N.D.
7	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	--	50	N.D.
8	Sum (DBP+BBP+DEHP+DIBP)	--	1000	50	555
9	Sum (DNOP+DINP+DIDP) ⁿ	--	1000	50	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).
5. "--" = Not Applicable.



Test Report

Report No.: CTT2505030773ENR2

Page 35 of 39


Test Result(s):

Phthalates - California Proposition 65, Case No.BG07350969

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					(6+7+8)D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	555
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.
5	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).



Test Report

Report No.: CTT2505030773ENR2

Page 36 of 39

Test Result(s):

Phthalates - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108]and CPSC 16 CFR 1307


Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					6+7+8
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	555
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "--" = Not Applicable.

Test Material List

Material No.	Sample Description	Location	Remark
1	White synthetic fiber	Outside of skirt	/
2	White synthetic fiber	Inside of skirt	/
3	Blue synthetic fiber	Cloak	/
4	Yellow synthetic fiber with golden plastic	Shawl	/
5	Blue synthetic fiber	Surface of shawl	/
6	White translucence plastic	Velcro	/
7	Black plastic with golden	Round bead	/



Test Report


Report No.: CTT2505030773ENR2

Page 37 of 39

	plating		
8	Blue transparent plastic with silvery plating	Round diamond	/
9	White-outside of skirt	Outside of skirt	/
10	Costume suit	Costume suit individual	Design draft for packaging
11	Crown	Crown individual	/
12	Clothes	Clothes individual	/

Remark: This report supersedes CTT2505030773ENR1 which is withdrawn.

Photo of Sample:



Test Report


Report No.: CTT2505030773ENR2

Page 38 of 39



*** End of Report ***

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample and sample information are provided by the applicant, our company are not responsible for their integrity and authenticity. Unless otherwise stated the results shown in this report only apply to the sample as received. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Without prior written permission of the company, this test report cannot be



Test Report

Report No.: CTT2505030773ENR2

Page 39 of 39

reproduced, except in full. Items marked with “n” means they are not accredited by CNAS (if with CNAS logo), “s” means the item of subcontractor. This report is only used for scientific research, teaching, internal quality control, not for domestic social impartiality proof data.

