

Test Report

Report No.: CTT2504032102ENR1

Page 1 of 36

Applicant: AFG Media Limited

Address: Ground Floor The Tun, 6-8 Jacksons Entry, Edinburgh, EH8 8PJ

Sample Received Date: Apr. 18, 2025

Testing Period: Apr. 18, 2025 - Apr. 17, 2026

Report Date: Apr. 21, 2026

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: Scarecrow Pumpkin Boys

Sample Model: MCKSCB

P/O No.: DAS48

Manufacturer: Dassyn Creations

Buyer: AFG

Other sample models of test sample: MCKSCBL/MCKSCBM/MCKSCBX/MCKSCBS

Packaging Provided: Yes

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).

Signed for and on Behalf of CTT:



Frank/Shelly/Kent
Technical Manager




Verification Report



Zhejiang Consumer Testing
Technology Co., Ltd.

1-3/F., Building 5, Zone B, Shuangchuang Street, No.E21, Xinke Road, Choujiang Subdistrict, Yiwu, Jinhua, China
(Zhejiang)
Tel:86-0579-89986543 Fax:86-0579-89986547 Hot Line:400 6789 666
Website:http://www.cttlab.com Email:enquiry@cttlab.com




Test Report

Report No.:CTT2504032102ENR1

Page 2 of 36

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	Flammability(CPSC 16 CFR 1610: Flammability Test)	PASS
2	EN 71-1:2014+A1:2018, European Standard Safety of toys - Part 1:Mechanical and Physical Properties	PASS
3	EN 71-2:2020 European Standard Safety of toys - Part 2: Flammability	PASS
4	EN 14682:2014 Safety of children's clothing Cords and Drawstrings on children's clothing Specifications	PASS
5	ASTM F963-23 - Physical and Mechanical Properties	PASS
6	ASTM F963-23 - Flammability	PASS
7	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 - Mechanical and Physical Properties	PASS
8	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 -Flammability	PASS
9	CPSC 16 CFR 1501 -Small Parts	NA
10	Labeling requirement (Washing/ Cleaning Label, CE mark, importer/ manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys	PASS
11	CPSIA Tracking Labels for Children's Products: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103	PASS
12	Canada Consumer Product Safety Act (CCPSA) SCHEDULE 2 Section 10 - Tris-(2,3-dibromopropyl)phosphate (TRIS)	PASS
13	CPSC 16 CFR 1303 - Total Lead (Pb) in paint or surface coating	NA
14	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations - Lead (Pb)	PASS
15	SOR/2016-193 and its amendments SOR/2022-122 Surface Coating Materials Regulations - Lead (Pb)	NA
16	Client's Requirement (Reference to SOR/2016-188 "Phthalates Regulations" (Can not be placed in mouth by children)) - Phthalates	PASS




Test Report

Report No.:CTT2504032102ENR1

Page 3 of 36

17	ASTM F963-23 Section 4.3.5.2 (Non-Modeling Clays) - Soluble Heavy Metal	PASS
18	EN 71-3:2019 +A1:2021(Category III) - Migration of certain elements	PASS
19	Annex XVII items 72 of the REACH Regulation (EC) No. 1907/2006 - Formaldehyde	PASS
20	California Proposition 65, Alameda Superior Court, Case No. HG12633575 - Formaldehyde	PASS
21	Annex XVII items 63 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Lead (Pb)	PASS
22	California Proposition 65, Case No. BG07350969 - Lead (Pb)	PASS
23	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] - Lead (Pb)	PASS
24	Annex XVII items 23 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Cadmium (Cd)	PASS
25	Annex XVII items 43 of the REACH Regulation (EC) No. 1907/2006 & amended(EC) No.552/2009. - Azo Dyes	PASS
26	Annex XVII items 50 of the REACH Regulation (EC) No 1907/2006 Class III - Polycyclic aromatic hydrocarbons (PAHs)	PASS
27	Annex XVII items 72 of the REACH Regulation (EC) No 1907/2006 - Polycyclic aromatic hydrocarbons (PAHs)	PASS
28	Annex XVII items 51&52 of the REACH Regulation (EC) No. 1907/2006 and its amendment - Phthalates	PASS
29	California Proposition 65, Case No.BG07350969 - Phthalates	PASS
30	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108]and CPSC 16 CFR 1307 - Phthalates	PASS
31	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Canada Soluble Heavy Metal	NA
32	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23	NA



Test Report

Report No.:CTT2504032102ENR1

Page 4 of 36

	- Lead (Pb)	
33	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Mercury	NA

NOTE: 1. NA = Not Applicable.

Test Result(s):

Flammability Test

Method: CPSC 16 CFR 1610


Material No.	Information of Exemption material	Conclusion
7	After tested: ➤ Fabric weight of sample is $>2.6 \text{ oz/yd}^2$.	PASS

Remark:

The sample is exempt from flammability testing in accordance with:
CPSC 16 CFR 1610.1(d)(1): Plain surface fabrics with fabric weight $\geq 2.6 \text{ oz/yd}^2$.

Remark:

Zhejiang Consumer Testing Technology Co., Ltd. is the US Consumer Product Safety Commission (CPSC) Accredited Third Party Testing Laboratory, identification number is 1362, and shall refer to <http://www.cpsc.gov/cgi-bin/labsearch/>.



Test Report

Report No.:CTT2504032102ENR1

Page 5 of 36

Test Result(s):

Mechanical and Physical Test - EN 71-1:2014+A1:2018

Labeled age group:

/

Appropriate age grading:

3+


Age grading for testing:

3+

Applicant's Specified Testing Age Group:

3-14 years old

Section	Testing Items	Assessment
		8
4	General requirements	
4.1	Material cleanliness	PASS
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	PASS
4.8	Points and metallic wires	PASS
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth a),b)&d)	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	
4.14.1	Toys which a child can enter a)&b)	NA
4.14.2	Masks and helmets	NA
4.15	Toys intended to bear the mass of a child	NA
4.15.1 ⁿ	Toys propelled by the child or by other means	NA
4.15.2 ⁿ	Toy bicycles	NA
4.15.3	Rocking horses and similar toys	NA
4.15.4	Toys not propelled by a child	NA
4.15.5 ⁿ	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA




Test Report

Report No.:CTT2504032102ENR1

Page 6 of 36

4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	PASS
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6 ⁿ	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibers	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6**	Packaging	PASS
7	Warnings, markings and instructions for use	
7.1**	General	PASS
7.2**	Toys not intended for children under 36 months	PASS
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA



Test Report

Report No.:CTT2504032102ENR1

Page 7 of 36


7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

- Note:**
1. NA = Not Applicable
 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 3. Applicant should ensure to meet requirements of the standard.
 4. "***" = The test sample(s) is received on Apr. 11, 2026.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Test Report

Report No.:CTT2504032102ENR1

Page 8 of 36

- Manufacturer's name was present and Manufacturer's address was present.
- Importer's name was present and Importer's address was present.
- CE-Marking was present.
- Product ID was present.

The submitted samples were undergone the use and abuse tests in accordance with the EN 71-1:2014+A1:2018


Testing Items	Parameter
Torque test	0.34Nm
Tension test	90N
Drop test	5×850mm
Impact test	1×1Kg×100mm

Test Result(s):

Flammability - EN 71-2:2020

Section	Testing Items	Assessment
		8
4.1	General requirements	PASS*
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	PASS
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

- Note:**
1. NA = Not Applicable.
 2. "*"=This section excluding: Flammable gases, extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels.



Test Report


Report No.:CTT2504032102ENR1

Page 9 of 36

Test Result(s):Safety of children's clothing Cords and Drawstrings on children's clothing Specifications -
EN 14682:2014

Labeled age group: /
Appropriate age grading: 3+
Age grading for testing: 3+
Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		8
3	Requirements	
3.1	General	PASS
3.2	Head, neck and upper chest area on garments for young children	PASS
3.3	Head, neck and upper chest area on garments for older children and young persons	NA
3.4	Chest and waist area	NA
3.5	Lower edge of garments which hang below the crotch	NA
3.6	Back area	PASS
3.7	Sleeves	NA
3.8	Other parts of the garment	NA

Note: 1. NA = Not Applicable.

Test Report

Report No.:CTT2504032102ENR1

Page 10 of 36

Test Result(s):

Mechanical and Physical Properties - ASTM F963-23


Labeled age group: /

Appropriate age grading: 3+

Age grading for testing: 3+

Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		8
4	Safety Requirements	
4.1	Material Quality	PASS
4.3.7	Stuffing Materials	NA
4.4 ⁿ	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA
4.6	Small Objects	
4.6.1	Toys that are intended for children under 36 months of age	NA
4.6.2 ⁿ	Mouth-actuated Toys	NA
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	NA
4.7	Accessible Edges	PASS
4.8	Projections	NA
4.9	Accessible Points	PASS
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	NA
4.12 ^{**}	Plastic Film	PASS
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.15.1	Stability of Ride-On Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	NA
4.15.6 ⁿ	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA




Test Report

Report No.:CTT2504032102ENR1

Page 11 of 36

4.20	Pacifiers(for 4.20.2)	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA
4.21.3	Projectile Toys without Stored Energy	NA
4.21.3.1 ⁿ	Mouth actuated projectile toys	NA
4.21.3.2	Projectiles shall not have any sharp edges or sharp points	NA
4.21.3.3	Arrows intended to be launched from a bow	NA
4.21.3.4	Projectiles in the form of an arrow	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated Toys (for4.25.1-4.25.8)	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials (for 4.29.2 labeling)	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	
4.34.1	Toy intended for children under 36 months of age	NA
4.34.2	Toys intended for children at least 3 years old but less than 8 years of age that contain a loose small ball	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37 ⁿ	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
4.41.1 ⁿ	Lid Support	NA
4.41.2	Hinge Line Clearance	NA
4.41.3	Closures	NA




Test Report

Report No.:CTT2504032102ENR1

Page 12 of 36

4.41.4	Ventilation	NA
4.41.5	Toy chests shall comply with the requirements listed in 6.8 for accompanying instructional literature and 7.3 for producer's markings	NA
5	Labeling Requirement	
5.1.2**	Tracking Label	PASS
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys	NA
5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	PASS
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled By an Adult	NA
6.5	Battery-Operated toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery	NA
7	Producer's Marking	
7.1	Name of the producer or the distributor	PASS
	Address of the producer or the distributor	PASS
7.2	Battery-Powered Ride-on Toys	NA
7.3	Toy Chests	NA



Test Report

Report No.:CTT2504032102ENR1

Page 13 of 36

- Note:**
1. NA = Not Applicable
 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 3. Applicant should ensure to meet requirements of the standard.
 4. "***" = The test sample(s) is received on Apr. 11, 2026.

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:


Testing Items	FHSA	Parameter
Drop Test	Section 1500.53(b)	4×3.0 ft
Torque Test	Section 1500.53(e)	4.0 inch · lbf
Tension Test	Section 1500.53(f)	15 lbf

Test Result(s):

Flammability - ASTM F963-23 Annex A5

Sample Description	Ignition Location	Burn Length (inch)	Burn Time (sec.)	Burn Rate (inch/sec.)	Limit (inch/sec.)	Conclusion
						8
Mask	Edge	0.5	26	0.02	0.15	PASS

- Note:**
1. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.



Test Report

Report No.:CTT2504032102ENR1

Page 14 of 36


Test Result(s):

Flammability - ASTM F963-23 Annex A6

Material No.	Sample Description	Location
8-1	White fabric with printing	Costume
8-2	Light brown fabric	Costume
8-3	Green tricot	Costume

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
8-1	--		Lengthwise	Crosswise
	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	

Material No.	Test Sample		Raised Surface	
			Time of Flame Spread (S)	
8-2	--		Lengthwise	Crosswise
	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	



Test Report

Report No.:CTT2504032102ENR1

Page 15 of 36

	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	


Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
8-3	--		Lengthwise	Crosswise
	As Received	1	IBE	/
		2	IBE	/
		3	IBE	/
		4	IBE	/
		5	IBE	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	IBE	/
		2	IBE	/
		3	IBE	/
		4	IBE	/
		5	IBE	/
		Average	/	/
		Conclusion	PASS	

The requirement of Plain Surface:

- 1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.
IBE: Ignited but extinguished
DNI: Did not ignite.
- 2) Average burn time is 3.5 s or greater.

Remark:

1. If only 1 of 5 specimens ignites and burns the stop cord with a time of 3.5 sec. or more, samples are acceptable.
2. If only 1 of 5 specimens ignites and burns the stop cord in less than 3.5 sec., test another set of 5 specimens. Compute the average time of flame spread for all 10 specimens. If 2 or more of these specimens ignite and burn the stop cord, average the results from those specimens. If only 1 of



Test Report

Report No.:CTT2504032102ENR1

Page 16 of 36

the 10 specimens ignites and burns the stop cord, samples are acceptable.

The requirement of Raised Surface:

1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.

DNI: Did not ignite.

2) Average burn time is 4s or greater.

3) Average burn time is less than 4 s and all specimens burn with a surface flash where the intensity of the surface flame is insufficient to ignite, char, or melt the base fabric.

4) Only 1 of 5 specimens ignites and burns in less than 4 s and the base fabric does not ignite or fuse, the sample is acceptable.

5) Only 1 of 5 specimens ignites or burns in more than 4 s, regardless of whether the base fabric ignites or fuses, the sample is acceptable.

Remark:

1. To compute the average time of flame spread for each set of 5 specimens, at least 2 of the specimens must ignite and burn the stop cord.

2. If only 1 of 5 specimens ignites and burns in less than 4 s where the base fabric ignites or fuses, test another set of 5 specimens. Compute the average time of flame spread for all 10 specimens. If 2 or more of the 10 specimens ignite and burn the stop cord, average the results from those specimens. If only 1 of the 10 specimens ignites and burns the stop cord, samples are acceptable.

Test Result(s):

Mechanical and Physical Properties - SOR/2011-17


Labeled age group: /

Appropriate age grading: 3+

Age grading for testing: 3+

Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		8
3**	General-Official languages	PASS
4**	Packaging-Flexible film bags	PASS
7	Small parts	NA
8	Metal edges	NA
9	Wire frames	NA
10	Plastic edges	PASS
11	Wood	NA
12	Glass	NA
13	Fasteners	NA
14	Safety stops or locking devices-Folding mechanisms	NA
15	Spring-wound driving mechanism	NA



Test Report

Report No.:CTT2504032102ENR1


Page 17 of 36

16	Projectile component	NA
17	Enclosures	NA
18	Stability	NA
19	Auditory hazards-Decibel limit	NA
28	Dolls, Plush toys or Soft toys-Fastening	NA
29	Dolls, Plush toys or Soft toys-Stuffing materials (a) and (b)	NA
30	Dolls, Plush toys or Soft toys-Small parts	NA
31	Dolls, Plush toys or Soft toys-Eyes or nose	NA
35	Plant seeds-Noise	NA
36	Plant seeds-Stuffing Material	NA
37	Pull and push toys-Shaft-like handles	NA
38 ⁿ	Toy steam engines	NA
39	Finger paints	NA
40	Rattles	NA
41	Elastics	NA
42	Yo-Yo type balls	NA
43	Magnetic toys	NA
44	Exceptions	NA

- Not e:**
1. NA = Not Applicable
 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 3. Applicant should ensure to meet requirements of the standard.
 4. "***" = The test sample(s) is received on Apr. 11, 2026.

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17:

Testing Items	Parameter
Drop test	4x0.914m
Pull test	44.5N
Push test	44.5N



Test Report

Report No.:CTT2504032102ENR1

Page 18 of 36

Test Result(s):

Flammability - SOR/2011-17

Section	Testing Items	Assessment
		8
21	Flammability hazards-Celluloid or cellulose nitrate	PASS
32	Dolls, Plush toys or Soft toys-Flammability of outer covering	PASS
33	Dolls, Plush toys or Soft toys-Flammability of yarn	NA
34	Dolls, Plush toys or Soft toys-Flammability of hair or mane	NA


Note: 1. NA = Not Applicable.

Test Result(s):

Flammability

Material No.	Sample Description	Location
8-1	White knitted fabric with printing	Costume
8-2	Light brown fabric	Costume
8-3	Green tricot	Costume

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
8-1	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	



Test Report


Report No.:CTT2504032102ENR1

Page 19 of 36

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
8-2	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
8-3	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	IBE
		2	/	IBE
		3	/	IBE
		4	/	IBE
		5	/	IBE
		Conclusion	PASS	
	After Laundering	1	/	IBE
		2	/	IBE
		3	/	IBE
		4	/	IBE
		5	/	IBE
		Conclusion	PASS	

Note: 1. DNI: Did not ignite.
2. IBE: Ignited but extinguished



Test Report

Report No.:CTT2504032102ENR1

Page 20 of 36

Test Result(s):

CPSC 16 CFR 1501- Small Parts

Labeled age group: /
 Appropriate age grading: 3+
 Age grading for testing: 3+
 Applicant's Specified Testing Age Group: 3-14 years old

Test Item(s)	Requirements of Standard	Assessment
		8**
CPSC 16 CFR 1501-Small parts	Toys and other article intended for use by children under 3 years of age shall not have small parts since it presents a choking, aspiration, or ingestion hazard. Toys and other article are subject to this requirement before or after use and abuse testing.	NA


- Note:**
1. NA = Not Applicable.
 2. The above-mentioned evaluation only comply with the received sample.
 3. "***" = The test sample(s) is received on Apr. 11, 2026.

Test Result(s):

Labeling Requirement - Directive 2009/48/ECⁿ

Test Item	Assessment	Location	Conclusion
			8**
Manufacture's Name& Address	Found	Toy/packaging	PASS
Importer's Name& Address	Found	Toy/packaging	PASS
Product ID	Found	Toy/packaging	PASS
CE Mark	Found	Toy/packaging	PASS
Washing/Cleaning instruction	Found	Toy/packaging	PASS

- Note:**
1. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 2. Applicant should ensure to meet requirements of the standard.
 3. "***" = The test sample(s) is received on Apr. 11, 2026.



Test Report

Report No.:CTT2504032102ENR1

Page 21 of 36

Test Result(s):

CPSIA Tracking Labels for Children's Products (Visual)

Method: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103


Tracking label on the packaging ¹

Requirement	Result
	g**
Name of the manufacture or the name of the private labeler.	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state.	Present
Date of the production of the product, in a form of Month/ Year or any other coding system.	Present
The cohort information(including the batch, run number, or other identifying characteristic.	Present
Permanent remark	*

Tracking label on the product ¹

Requirement	Result
	g**
Name of the manufacture or the name of the private labeler	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state	Present
Date of the production of the product, in a form of Month/ Year or any other coding system	Present
The cohort information(including the batch, run number, or other identifying characteristic	Present
Permanent remark	*

- Note:**
- 1.The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 - 2.Applicant should ensure to meet requirements of the standard.
 - 3.*=The client only provided artwork, the "Permanent remark" was not verified.
 4. "***" = The test sample(s) is received on Apr. 11, 2026.



Test Report

Report No.: CTT2504032102ENR1

Page 22 of 36

Test Result(s):

Tris-(2,3-dibromopropyl)phosphate (TRIS) - Canada Consumer Product Safety Act (CCPSA) SCHEDULE 2
Section 10

Method: EPA 3550C:2007 & EPA 8270E:2018^{s,n}

Substances	Tris-(2,3-dibromopropyl)phosphate (TRIS)	Conclusion
CAS No.	126-72-7	
LOQ (mg/kg)	5	
Limit (mg/kg)	5	
Material No.	Result (mg/kg)	
1	N.D.	PASS


- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).

Test Result(s):

Lead (Pb) - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products
Containing Lead Regulations

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
(3+4+6)D	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.:CTT2504032102ENR1

Page 23 of 36

Test Result(s):

Phthalates - Client's Requirement (Reference to SOR/2016-188 "Phthalates Regulations" (Can not be placed in mouth by children))

Substances	Bis(2-ethylhexyl) phthalate (DEHP)	Butyl benzyl phthalate (BBP)	Di-butyl phthalate (DBP)	Conclusion
CAS No.	117-81-7	85-68-7	84-74-2	
LOQ (mg/kg)	50	50	50	
Limit (mg/kg)	1000	1000	1000	
Material No.	Result (mg/kg)			
(3+4+6)D	N.D.	N.D.	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).


Test Result(s):

Soluble Heavy Metal - ASTM F963-23 Section 4.3.5.2 (Non-Modeling Clays)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1D
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "D" = The sample(s) is(are) tested according to the method EN 71-3:2019+A1:2021.



Test Report

Report No.:CTT2504032102ENR1

Page 24 of 36

Test Result(s):


Migration of certain elements - EN 71-3:2019 +A1:2021(Category III)

Method: EN 71-3:2019+A1:2021ⁿ

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1
1	Soluble Aluminum (Al)	7429-90-5	28130	5	N.D.
2	Soluble Antimony (Sb)	7440-36-0	560	5	6
3	Soluble Arsenic (As)	7440-38-2	47	2.5	N.D.
4	Soluble Barium (Ba)	7440-39-3	18750	5	N.D.
5	Soluble Boron (B)	7440-42-8	15000	5	N.D.
6	Soluble Cadmium (Cd)	7440-43-9	17	5	N.D.
7	Soluble Cobalt (Co)	7440-48-4	130	5	N.D.
8	Soluble Copper (Cu)	7440-50-8	7700	5	N.D.
9	Soluble CrIII	--	460	2.0	N.D.
10	Soluble CrVI	18540-29-9	0.053	0.025	N.D.
11	Soluble Lead (Pb)	7439-92-1	23	5	N.D.
12	Soluble Manganese (Mn)	7439-96-5	15000	5	N.D.
13	Soluble Mercury (Hg)	7439-97-6	94	5	N.D.
14	Soluble Nickel (Ni)	7440-02-0	930	5	N.D.
15	Soluble Organic tin	--	12	2.5	N.D.
16	Soluble Selenium (Se)	7782-49-2	460	5	N.D.
17	Soluble Strontium (Sr)	7440-24-6	56000	5	N.D.
18	Soluble Tin (Sn)	7440-31-5	180000	2.5	N.D.
19	Soluble Zinc (Zn)	7440-66-6	46000	5	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. Migration of organic tin was calculated by summat ion of the migration values of Methyl tin, Dimethyl tin, Di-n-propyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin,n-Octyl tin, Di-n-octyl tin,Diphenyl tin,Triphenyl tin and was expressed as tributyltin cation content. however other organic tin compounds may also be present in the sample, The Toy Safety Directive (2009/48/EC) requirement covers total migratable organic tin.
4. The soluble organic tin content were reported as the soluble tin content, the soluble organic tin was not conducted due to the soluble tin is not detected (<2.5mg/kg).
5. Soluble chromium (VI) test method: EN 71-3:2019+A2:2024 Annex F, analyzed by Ion Chromatograph Ultraviolet spectroscopy (IC-UV).
6. Soluble organic tin test method: EN 71-3:2019+A2:2024 Annex G, analyzed by Gas Chromatography - Mass Spectroscopy (GC-MS).



Test Report

Report No.:CTT2504032102ENR1

Page 25 of 36

7. "--" = Not Applicable.

Test Result(s):

Formaldehyde - Annex XVII items 72 of the REACH Regulation (EC) No. 1907/2006

Method: EN ISO 14184-1:2011

Substances	Formaldehyde	Conclusion
CAS No.	50-00-0	
LOQ (mg/kg)	16	
Limit (mg/kg)	75	
Material No.	Result (mg/kg)	
1+2+5	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.


Test Result(s):

Formaldehyde - California Proposition 65, Alameda Superior Court, Case No. HG12633575

Substances	Formaldehyde	Conclusion
CAS No.	50-00-0	
LOQ (mg/kg)	16	
Limit (mg/kg)	75	
Material No.	Result (mg/kg)	
(1+2+5)D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method EN ISO 14184-1:2011.



Test Report

Report No.:CTT2504032102ENR1

Page 26 of 36

Test Result(s):

Lead (Pb) - Annex XVII items 63 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	500	
Material No.	Result (mg/kg)	
(3+4+6)D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.

Test Result(s):


Lead (Pb) - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101]

Method: CPSC-CH-E1002-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
3+4+6	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.:CTT2504032102ENR1

Page 27 of 36

Test Result(s):

Lead (Pb) - California Proposition 65, Case No. BG07350969

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	600	
Material No.	Result (mg/kg)	
(3+4+6)D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.

Test Result(s):


Cadmium (Cd) - Annex XVII items 23 of the REACH Regulation (EC) No. 1907/2006 and its amendment

Method: CPSC-CH-E1002-08.3ⁿ

Substances	Cd	Conclusion
CAS No.	7440-43-9	
LOQ (mg/kg)	2	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
3+4+6	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.:CTT2504032102ENR1

Page 28 of 36

Test Result(s):


Azo Dyes - Annex XVII items 43 of the REACH Regulation (EC) No. 1907/2006 & amended (EC) No. 552/2009.

Method: EN ISO 14362-1:2017 & EN ISO 14362-3:2017

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1+2+5
1	2,4,5-trimethylaniline	137-17-7	30	5	N.D.
2	2-anisidine	90-04-0	30	5	N.D.
3	2-naphthylamine	91-59-8	30	5	N.D.
4	3,3'-dichlorobenzidine	91-94-1	30	5	N.D.
5	3,3'-dimethoxybenzidine	119-90-4	30	5	N.D.
6	3,3'-dimethylbenzidine	119-93-7	30	5	N.D.
7	4,4'-diaminodiphenylmethane	101-77-9	30	5	N.D.
8	4,4'-methylene-bis-(2-chloro-aniline)	101-14-4	30	5	N.D.
9	4,4'-methylenedi-o-toluidine	838-88-0	30	5	N.D.
10	4,4'-oxydianiline	101-80-4	30	5	N.D.
11	4,4'-thiodianiline	139-65-1	30	5	N.D.
12	4-aminoazobenzene	60-09-3	30	5	N.D.
13	4-aminobiphenyl	92-67-1	30	5	N.D.
14	4-chloro-o-toluidine	95-69-2	30	5	N.D.
15	4-chloroaniline	106-47-8	30	5	N.D.
16	4-methoxy-m-phenylenediamine	615-05-4	30	5	N.D.
17	4-methyl-m-phenylenediamine	95-80-7	30	5	N.D.
18	5-nitro-o-toluidine	99-55-8	30	5	N.D.
19	benzidine	92-87-5	30	5	N.D.
20	o-aminoazotoluene	97-56-3	30	5	N.D.
21	o-toluidine	95-53-4	30	5	N.D.
22	p-cresidine	120-71-8	30	5	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. The CAS No. 97-56-3 (No.5) and 99-55-8 (No.6) are further reduced to CAS No.95-53-4 (No.18) and 95-80-7(No.19).
4. Azo colorants that are able to form 4-aminoazobenzene(No.22), generate under the condition of this method aniline and 1, 4-phenylenediamine, therefore, the method of EN ISO 14362-3:2017 was employed to verify the 4-aminoazobenzene.
5. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the



Test Report

Report No.:CTT2504032102ENR1

Page 29 of 36

individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.

Test Result(s):


Polycyclic aromatic hydrocarbons (PAHs) - Annex XVII items 50 of the REACH Regulation (EC) No 1907/2006
Class III

Method: AfPS GS 2019:01 PAK

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					3+4+6
1	Benzo(a)anthracene (BaA)	56-55-3	0.5	0.20	N.D.
2	Benzo(a)pyrene (BaP)	50-32-8	0.5	0.20	N.D.
3	Benzo(b)fluoranthene (BbF)	205-99-2	0.5	0.20	N.D.
4	Benzo(e)pyrene (BeP)	192-97-2	0.5	0.20	N.D.
5	Benzo(j)fluoranthene (BjF)	205-82-3	0.5	0.20	N.D.
6	Benzo(k)fluoranthene (BkF)	207-08-9	0.5	0.20	N.D.
7	Chrysene (CHR)	218-01-9	0.5	0.20	N.D.
8	Dibenzo(a,h)anthracene (DBA)	53-70-3	0.5	0.20	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.: CTT2504032102ENR1

Page 30 of 36

Test Result(s):


Polycyclic aromatic hydrocarbons (PAHs) - Annex XVII items 72 of the REACH Regulation (EC) No 1907/2006

Method: AfPS GS 2019:01 PAK

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					1+2+5
1	Benzo(a)anthracene (BaA)	56-55-3	1	0.20	N.D.
2	Benzo(a)pyrene (BaP)	50-32-8	1	0.20	N.D.
3	Benzo(b)fluoranthene (BbF)	205-99-2	1	0.20	N.D.
4	Benzo(e)pyrene (BeP)	192-97-2	1	0.20	N.D.
5	Benzo(j)fluoranthene (BjF)	205-82-3	1	0.20	N.D.
6	Benzo(k)fluoranthene (BkF)	207-08-9	1	0.20	N.D.
7	Chrysene (CHR)	218-01-9	1	0.20	N.D.
8	Dibenzo(a,h)anthracene (DBA)	53-70-3	1	0.20	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.



Test Report

Report No.:CTT2504032102ENR1

Page 31 of 36


Test Result(s):

Phthalates - Annex XVII items 51&52 of the REACH Regulation (EC) No. 1907/2006 and its amendment

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					(3+4+6)D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	--	50	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	--	50	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	--	50	N.D.
4	Di-iso-butyl phthalate (DIBP)	84-69-5	--	50	N.D.
5	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	--	100	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	--	100	N.D.
7	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	--	50	N.D.
8	Sum (DBP+BBP+DEHP+DIBP)	--	1000	50	N.D.
9	Sum (DNOP+DINP+DIDP) ⁿ	--	1000	50	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).
5. "--" = Not Applicable.



Test Report

Report No.:CTT2504032102ENR1

Page 32 of 36


Test Result(s):

Phthalates - California Proposition 65, Case No.BG07350969

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					(3+4+6)D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.
5	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
Conclusion					PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).



Test Report

Report No.:CTT2504032102ENR1

Page 33 of 36


Test Result(s):

Phthalates - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108]and CPSC 16 CFR 1307

Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					3+4+6
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "--" = Not Applicable.



Test Report

Report No.:CTT2504032102ENR1


Page 34 of 36

Test Material List

Material No.	Sample Description	Location	Remark
1	Multicolor synthetic fiber	Clothes body	/
2	Multicolor synthetic fiber	Neckerchief	/
3*	Black plastic	Velcro	/
4	Black foam	Mask body	/
5	Multicolor synthetic fiber	Front of mask	/
6	Black foam	Block	/
7	Multicolor-clothes body	Clothes body	/
8	Costume suit	Costume suit individual	The design draft is used for packaging

Remark: This report supersedes CTT2504032102EN which is withdrawn.

Photo of Sample:





End of Report

Test Report

Report No.:CTT2504032102ENR1

Page 36 of 36

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample and sample information are provided by the applicant, our company are not responsible for their integrity and authenticity. Unless otherwise stated the results shown in this report only apply to the sample as received. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. This report is only used for scientific research, teaching, internal quality control, not for domestic social impartiality proof data.

