

Test Report

Report No.: CTT2603031038EN

Page 1 of 57

Applicant: AFG Media Limited

Address: Ground Floor The Tun, 6-8 Jacksons Entry, Edinburgh, EH8 8PJ

Sample Received Date: Mar. 14, 2026

Testing Period: Mar. 14, 2026 - Mar. 19, 2026

Report Date: Mar. 26, 2026

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: Vintage Circus Clown Kids

Test Model No.: MCKVCC

ASIN: B0BXBDQVTF/B0BXBC6LSJ/B0BXBD387K

Exported to: US,CAN

Other sample models of MCKVCCM/MCKVCCX/MCKVCCL

test samples:

Packaging Provided: Yes

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s): Please refer to next page(s).

Signed for and on Behalf of CTT:



Frank/Shelly
Technical Manager




Verification Report



Zhejiang Consumer Testing
Technology Co., Ltd.

1-3/F., Building 5, Zone B, Shuangchuang Street, No.E21, Xinke Road, Choujiang Subdistrict, Yiwu, Jinhua, China
(Zhejiang)
Tel:86-0579-89986543 Fax:86-0579-89986547 Hot Line:400 6789 666
Website:http://www.cttlab.com Email:enquiry@cttlab.com




Test Report

Report No.:CTT2603031038EN

Page 2 of 57

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	ASTM F963-23 - Physical and Mechanical Properties	PASS
2	ASTM F963-23 - Flammability	PASS
3	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 - Mechanical and Physical Properties	PASS
4	Canada Consumer Product Safety Act, Toys Regulations SOR/2011-17 -Flammability	PASS
5	CPSC 16 CFR 1501 -Small Parts	NA
6	CPSIA Tracking Labels for Children's Products: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103	PASS
7	SOR/2016-193 and its amendments SOR/2022-122 Surface Coating Materials Regulations - Lead (Pb)	PASS
8	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Canada Soluble Heavy Metal	PASS
9	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Lead (Pb)	PASS
10	Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23 - Mercury (Hg)	PASS
11	ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating - Total Lead	PASS
12	CPSC 16 CFR 1303 - Total Lead	PASS
13	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] - Total Lead (Pb) in paint or surface coating	PASS
14	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations - Lead (Pb)	PASS
15	Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2016-188 Phthalates Regulations	PASS




Test Report

Report No.:CTT2603031038EN

Page 3 of 57

	- Phthalates	
16	ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating - Soluble heavy metal elements	PASS
17	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-Modeling Clays - Soluble heavy metal elements	PASS
18	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Small Part Metallic Material - Extractable cadmiun	NA
19	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Metallic Material - Total Lead	PASS
20	ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-metallic Materials - Total Lead	PASS
21	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in accessible substrate materials	PASS
22	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a - Total Lead (Pb) in accessible substrate materials (Metal)	PASS
23	ASTM F963-23, Section 4.3 Toxicology 4.3.8 Accessible plasticized component - Phthalates	PASS
24	US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307 - Phthalates	PASS

NOTE: 1. NA = Not Applicable.



Test Report

Report No.:CTT2603031038EN

Page 4 of 57

Test Result(s):

Mechanical and Physical Properties - ASTM F963-23


Labeled age group: /

Appropriate age grading: 8+

Age grading for testing: 3-14 years old

Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		29
4	Safety Requirements	
4.1	Material Quality	PASS
4.3.7	Stuffing Materials	NA
4.4 ⁿ	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA
4.6	Small Objects	
4.6.1	Toys that are intended for children under 36 months of age	NA
4.6.2 ⁿ	Mouth-actuated Toys	NA
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	NA
4.7	Accessible Edges	PASS
4.8	Projections	NA
4.9	Accessible Points	PASS
4.10	Wires or Rods	NA
4.11	Nails and Fasteners	PASS
4.12	Plastic Film	PASS
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, Straps, and Elastics	NA
4.15	Stability and Over-Load Requirements	NA
4.15.1	Stability of Ride-On Toys and Toy Seats	NA
4.15.2	Sideways Stability Requirements	NA
4.15.3	Fore and Aft Stability	NA
4.15.4	Stability of Stationary Floor Toys	NA
4.15.5	Overload Requirements for Ride-On Toys and Toy Seats	NA
4.15.6 ⁿ	Wheeled Ride-on Toys	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA




Test Report

Report No.:CTT2603031038EN

Page 5 of 57

4.20	Pacifiers(for 4.20.2)	NA
4.21	Projectile Toys	NA
4.21.1	All Projectiles	NA
4.21.2	Projectile Toys with Stored Energy	NA
4.21.3	Projectile Toys without Stored Energy	NA
4.21.3.1 ⁿ	Mouth actuated projectile toys	NA
4.21.3.2	Projectiles shall not have any sharp edges or sharp points	NA
4.21.3.3	Arrows intended to be launched from a bow	NA
4.21.3.4	Projectiles in the form of an arrow	NA
4.21.4	Rotors	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated Toys(for4.25.1-4.25.8)	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials (for 4.29.2 labeling)	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	
4.34.1	Toy intended for children under 36 months of age	NA
4.34.2	Toys intended for children at least 3 years old but less than 8 years of age that contain a loose small ball	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37 ⁿ	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
4.41.1 ⁿ	Lid Support	NA
4.41.2	Hinge Line Clearance	NA
4.41.3	Closures	NA




Test Report

Report No.:CTT2603031038EN

Page 6 of 57

4.41.4	Ventilation	NA
4.41.5	Toy chests shall comply with the requirements listed in 6.8 for accompanying instructional literature and 7.3 for producer's markings	NA
5	Labeling Requirement	
5.1.2	Tracking Label	PASS
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys	NA
5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	PASS
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled By an Adult	NA
6.5	Battery-Operated toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery	NA
7	Producer's Marking	
7.1	Name of the producer or the distributor	PASS
	Address of the producer or the distributor	PASS
7.2	Battery-Powered Ride-on Toys	NA
7.3	Toy Chests	NA



Test Report

Report No.:CTT2603031038EN

Page 7 of 57

- Note:**
1. NA = Not Applicable
 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 3. Applicant should ensure to meet requirements of the standard.

The submitted samples were undergone the use and abuse tests in accordance with the ASTM F963-23

Testing Items	Parameter
Impact Test	4×3.0 ft
Torque Test	4.0 inch ·lbf
Tension Test	15 lbf

Test Result(s):

Flammability - ASTM F963-23 Annex A5

Sample Description	Ignition Location	Burn Length (inch)	Burn Time (sec.)	Burn Rate (inch/sec.)	Limit (inch/sec.)	Conclusion
						29
Mask	Edge	/	/	DNI	0.15	PASS


- Note:**
1. DNI = Did not ignite.
 2. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.

Test Result(s):

Flammability - ASTM F963-23 Annex A6

Material No.	Sample Description	Location
29-1	Blue satin	Costume
29-2	Colorful fabric	Costume
29-3	Grey fabric	Costume

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
29-1	--		Lengthwise	Crosswise
	As Received	1	IBE	/
		2	IBE	/
		3	DNI	/



Test Report


Report No.:CTT2603031038EN

Page 8 of 57

		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
29-2	--		Lengthwise	Crosswise
	As Received	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	DNI	/
		2	DNI	/
		3	DNI	/
		4	DNI	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	

Material No.	Test Sample		Plain Surface	
			Time of Flame Spread (S)	
29-3	--		Lengthwise	Crosswise
	As Received	1	IBE	/
		2	IBE	/
		3	DNI	/



Test Report

Report No.:CTT2603031038EN

Page 9 of 57

		4	IBE	/
		5	IBE	/
		Average	/	/
		Conclusion	PASS	
	After Laundering	1	IBE	/
		2	DNI	/
		3	DNI	/
		4	IBE	/
		5	DNI	/
		Average	/	/
		Conclusion	PASS	

The requirement of Plain Surface:

- 1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof.
IBE: Ignited but extinguished
DNI: Did not ignite.
- 2) Average burn time is 3.5 s or greater.

Remark:

1. If only 1 of 5 specimens ignites and burns the stop cord with a time of 3.5 sec. or more, samples are acceptable.
2. If only 1 of 5 specimens ignites and burns the stop cord in less than 3.5 sec., test another set of 5 specimens. Compute the average time of flame spread for all 10 specimens. If 2 or more of these specimens ignite and burn the stop cord, average the results from those specimens. If only 1 of the 10 specimens ignites and burns the stop cord, samples are acceptable.

Test Result(s):

Mechanical and Physical Properties - SOR/2011-17


Labeled age group: /

Appropriate age grading: 8+

Age grading for testing: 3-14 years old

Applicant's Specified Testing Age Group: 3-14 years old

Section	Testing Items	Assessment
		29
3	General-Official languages	PASS
4	Packaging-Flexible film bags	PASS
5 ⁿ	Electrical Hazards-Electrically operated toys	NA
6 ⁿ	Electrical Hazards- Electrically heated toys	NA
7	Mechanical Hazards-Small parts	NA



Test Report

Report No.:CTT2603031038EN

Page 10 of 57


8	Mechanical Hazards-Metal edges	NA
9	Mechanical Hazards-Wire frames	NA
10	Mechanical Hazards-Plastic edges	PASS
11	Mechanical Hazards-Wood	NA
12	Mechanical Hazards-Glass	NA
13	Mechanical Hazards-Fasteners	PASS
14	Mechanical Hazards-Safety stops or locking devices-Folding mechanisms	NA
15	Mechanical Hazards-Spring-wound driving mechanisms	NA
16	Mechanical Hazards-Projectile components	NA
17	Mechanical Hazards-Enclosures	NA
18	Mechanical Hazards-Stability	NA
19	Auditory Hazards-Decibel limit	NA
28	Dolls, Plush Toys and Soft Toys-Fastenings	NA
29	Dolls, Plush Toys and Soft Toys-Stuffing (a) and (b)	NA
30	Dolls, Plush Toys and Soft Toys-Small parts	NA
31	Dolls, Plush Toys and Soft Toys-Eyes or noses	NA
35	Plant seeds-Noise	NA
36	Plant seeds-Stuffing Material	NA
37	Pull and Push Toys-Shaft-like handle	NA
38 ⁿ	Toy Steam Engines-Boilers-safety valves	NA
39	Finger Paints-Water-based paints	NA
40	Rattles-Construction	NA
41	Elastics-Length or extensibility	NA
42	Yo-Yo type balls-Stretchable cords	NA
43	Magnetic Toys-Magnetic force	NA
44	Magnetic Toys-Exceptions	NA
45 ⁿ	Toys Intended to be Entered by a Child-Exception	NA
46 ⁿ	Toys Intended to be Entered by a Child-Requirements and testing	NA
47 ⁿ	Toys Intended to be Entered by a Child-Warning	NA

Not 1. NA = Not Applicable.

e: 2. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.

3. Applicant should ensure to meet requirements of the standard.

The submitted samples were undergone the use and abuse tests in accordance with the Canada



Test Report

Report No.:CTT2603031038EN

Page 11 of 57

Consumer Product Safety Act, Toys Regulations SOR/2011-17:

Testing Items	Parameter
Drop test	4x0.914m
Pull test	44.5N
Push test	44.5N

Test Result(s):

Flammability - SOR/2011-17


Section	Testing Items	Assessment
		29
21	Flammability Hazards-Celluloid or cellulose nitrate	PASS
32	Dolls, Plush Toys and Soft Toys-Flammability of outer covering	PASS
33	Dolls, Plush Toys and Soft Toys-Flammability of yarn	NA
34	Dolls, Plush Toys and Soft Toys-Flammability of hair or mane	PASS
46 ⁿ	Toys Intended to be Entered by a Child-Requirements and testing	NA

Test Result(s):

Flammability

Material No.	Sample Description	Location
29-1	Blue satin	Costume
29-2	Colorful fabric	Costume
29-3	Grey fabric	Costume

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
29-1	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	IBE
		2	/	IBE
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	IBE
		2	/	IBE
		3	/	DNI



Test Report


Report No.:CTT2603031038EN

Page 12 of 57

		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
29-2	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	
	After Laundering	1	/	DNI
		2	/	DNI
		3	/	DNI
		4	/	DNI
		5	/	DNI
		Conclusion	PASS	

Material No.	Test Sample		Out Covering	
			1s Flame Impingement	
29-3	Test Direction: Lengthwise		Flame Spread Time(s)	Remarks
	As Received	1	/	IBE
		2	/	IBE
		3	/	DNI
		4	/	IBE
		5	/	IBE
		Conclusion	PASS	
	After Laundering	1	/	IBE
		2	/	DNI
		3	/	DNI
		4	/	IBE
		5	/	DNI
		Conclusion	PASS	



Test Report

Report No.:CTT2603031038EN

Page 13 of 57

Requirement for Out Covering:


- 1.If the burn time is greater than 7.0s, the sample is considered to have passed the test.
- 2.If specimen did not ignite or ignited but self-extinguished, it is considered to have passed the test.
- 3.If one of the five specimens fails, test five additional specimens. Two failures out of 10 specimens results in a failure of the product to pass the test requirement.

- Note:**
1. DNI: Did not ignite.
 2. IBE: Ignited but extinguished.

Material No.	Test Sample		Hair	
			1s Flame Impingement	
29	--		Specimen Ignited (Yes/No)	Flame self-extinguished within 2 s (Yes/No)
	As Received	1	No	/
		2	No	/
		3	No	/
		4	No	/
		5	No	/
		Conclusion	PASS	
	After Laundering	1	No	/
		2	No	/
		3	No	/
		4	No	/
		5	No	/
		Conclusion	PASS	

Requirement for Hair or Mane:

If the specimen does not flame on a one-second impingement or self-extinguish within 2 seconds of the removal of the flame, the sample is considered to have passed the test.



Test Report

Report No.:CTT2603031038EN

Page 14 of 57

Test Result(s):

CPSC 16 CFR 1501- Small Parts

Labeled age group: /
 Appropriate age grading: 8+
 Age grading for testing: 3-14 years old
 Applicant's Specified Testing Age Group: 3-14 years old

Test Item(s)	Requirements of Standard	Assessment
		29
CPSC 16 CFR 1501-Small parts	Toys and other article intended for use by children under 3 years of age shall not have small parts since it presents a choking, aspiration, or ingestion hazard. Toys and other article are subject to this requirement before or after use and abuse testing.	NA


- Note:**
1. NA = Not Applicable.
 2. The above-mentioned evaluation only comply with the received sample.

Test Result(s):

CPSIA Tracking Labels for Children's Products (Visual)

Method: As Specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 Section 103
 Tracking label on the packaging ¹

Requirement	Result
	29
Name of the manufacture or the name of the private labeler.	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state.	Present
Date of the production of the product, in a form of Month/ Year or any other coding system.	Present
The cohort information(including the batch, run number, or other identifying characteristic.	Present
Permanent remark	*



Test Report

Report No.:CTT2603031038EN

Page 15 of 57

Tracking label on the product ¹


Requirement	Result
	29
Name of the manufacture or the name of the private labeler	Present
Manufacture location, including the name of the city and country, or the name of other means of coding of city and state	Present
Date of the production of the product, in a form of Month/ Year or any other coding system	Present
The cohort information(including the batch, run number, or other identifying characteristic	Present
Permanent remark	*

- Note:**
1. The above only verified the integrity and standardization of the label, excluding the verification on the authenticity of the content.
 2. Applicant should ensure to meet requirements of the standard.
 3. *=The client only provided artwork, the "Permanent remark" was not verified.

Test Result(s):

Lead (Pb) - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations⁵

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
17D	N.D.	PASS
18D	N.D.	PASS
19D	N.D.	PASS
20D	N.D.	PASS
21D	N.D.	PASS
22D	N.D.	PASS
23D	N.D.	PASS
26R	N.D.	PASS
27D	N.D.	PASS
28D	N.D.	PASS



Test Report

Report No.:CTT2603031038EN

Page 16 of 57


- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 26R = This data is refer to data of CTT2603031033EN-11.
 5. "D" = The sample(s) is(are) tested according to the method Canada Method C02.2:2022.

Test Result(s):

Lead (Pb) - SOR/2016-193 and its amendments SOR/2022-122 Surface Coating Materials Regulations^s

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
17D	N.D.	PASS
18D	N.D.	PASS
19D	N.D.	PASS
20D	N.D.	PASS
21D	N.D.	PASS
22D	N.D.	PASS
23D	N.D.	PASS
26R	N.D.	PASS
27D	N.D.	PASS
28D	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 26R = This data is refer to data of CTT2603031033EN-11.
 5. "D" = The sample(s) is(are) tested according to the method Canada Method C02.2:2022.



Test Report

Report No.:CTT2603031038EN

Page 17 of 57

Test Result(s):


Canada Soluble Heavy Metal - Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23

Method: Canada Method C08.1(2022)⁵

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					17	18
1	Soluble Antimony (Sb)	7440-36-0	1000	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	1000	5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	1000	5	N.D.	N.D.
5	Soluble Selenium (Se)	7782-49-2	1000	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					19	20
1	Soluble Antimony (Sb)	7440-36-0	1000	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	1000	5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	1000	5	N.D.	N.D.
5	Soluble Selenium (Se)	7782-49-2	1000	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					21	22
1	Soluble Antimony (Sb)	7440-36-0	1000	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	1000	5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	1000	5	N.D.	N.D.
5	Soluble Selenium (Se)	7782-49-2	1000	5	N.D.	N.D.
Conclusion					PASS	PASS



Test Report


Report No.:CTT2603031038EN

Page 18 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					23	26R
1	Soluble Antimony (Sb)	7440-36-0	1000	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	1000	5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	1000	5	N.D.	N.D.
5	Soluble Selenium (Se)	7782-49-2	1000	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					27	28
1	Soluble Antimony (Sb)	7440-36-0	1000	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	1000	5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	1000	5	N.D.	N.D.
5	Soluble Selenium (Se)	7782-49-2	1000	5	N.D.	N.D.
Conclusion					PASS	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "R" = The test result is referred from identical material of other report according to applicant's request.
 4. 26R = This data is refer to data of CTT2603031033EN-11.



Test Report

Report No.:CTT2603031038EN

Page 19 of 57

Test Result(s):


Lead (Pb) - Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23

Method: Canada Method C02.2:2022^s

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
17	N.D.	PASS
18	N.D.	PASS
19	N.D.	PASS
20	N.D.	PASS
21	N.D.	PASS
22	N.D.	PASS
23	N.D.	PASS
26R	N.D.	PASS
27	N.D.	PASS
28	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 26R = This data is refer to data of CTT2603031033EN-11.



Test Report

Report No.:CTT2603031038EN

Page 20 of 57

Test Result(s):


Mercury (Hg) - Canada Consumer Product Safety Act, Toys Regulations, SOR/2011-17 section 23

Method: ISO 8124-5:2015^s

Substances	Mercury (Hg)	Conclusion
CAS No.	7439-97-6	
LOQ (mg/kg)	10	
Limit (mg/kg)	10	
Material No.	Result (mg/kg)	
17	N.D.	PASS
18	N.D.	PASS
19	N.D.	PASS
20	N.D.	PASS
21	N.D.	PASS
22	N.D.	PASS
23	N.D.	PASS
26R	N.D.	PASS
27	N.D.	PASS
28	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 26R = This data is refer to data of CTT2603031033EN-11.



Test Report

Report No.:CTT2603031038EN

Page 21 of 57


Test Result(s):

Total Lead (Pb) in paint or surface coating - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101]^s

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
17D	N.D.	PASS
18D	N.D.	PASS
19D	N.D.	PASS
20D	N.D.	PASS
21D	N.D.	PASS
22D	N.D.	PASS
23D	N.D.	PASS
26R	N.D.	PASS
27D	N.D.	PASS
28D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 26R = This data is refer to data of CTT2603031033EN-11.
5. "D" = The sample(s) is(are) tested according to the method Canada Method C02.2:2022.



Test Report

Report No.:CTT2603031038EN

Page 22 of 57


Test Result(s):

Total Lead - ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating^s

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
17D	N.D.	PASS
18D	N.D.	PASS
19D	N.D.	PASS
20D	N.D.	PASS
21D	N.D.	PASS
22D	N.D.	PASS
23D	N.D.	PASS
26R	N.D.	PASS
27D	N.D.	PASS
28D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 26R = This data is refer to data of CTT2603031033EN-11.
5. "D" = The sample(s) is(are) tested according to the method Canada Method C02.2:2022.



Test Report

Report No.:CTT2603031038EN

Page 23 of 57

Test Result(s):

Total Lead - CPSC 16 CFR 1303^s

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
17D	N.D.	PASS
18D	N.D.	PASS
19D	N.D.	PASS
20D	N.D.	PASS
21D	N.D.	PASS
22D	N.D.	PASS
23D	N.D.	PASS
26R	N.D.	PASS
27D	N.D.	PASS
28D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 26R = This data is refer to data of CTT2603031033EN-11.
5. "D" = The sample(s) is(are) tested according to the method Canada Method C02.2:2022.


Test Result(s):

Lead (Pb) - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
24D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1001-08.3.



Test Report

Report No.:CTT2603031038EN

Page 24 of 57


Test Result(s):

Lead (Pb) - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2018-83 Consumer Products Containing Lead Regulations

Substances	Lead (Pb)	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	90	
Material No.	Result (mg/kg)	
(1+2+3)D	N.D.	PASS
4D	N.D.	PASS
7D	N.D.	PASS
9R	N.D.	PASS
(11+12)D	11	PASS
13R	N.D.	PASS
16D	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "R" = The test result is referred from identical material of other report according to applicant's request.
5. 9R = This data is refer to data of CTT2603031034EN-4.
6. 13R = This data is refer to data of CTT2603031033EN-12.
7. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.



Test Report

Report No.:CTT2603031038EN


Page 25 of 57

Test Result(s):

Phthalates - Canada Consumer Product Safety Act (CCPSA), S.C. 2010, c. 21, SOR/2016-188 Phthalates Regulations

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					(1+2+3)D	4D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					7D	9R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 26 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					(11+12)D	13R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					16D	17D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 27 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					18D	19D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					20D	21D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	72	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 28 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					22D	23D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					26R	27D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 29 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					28D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.
4	Diisodecyl phthalate (DIDP) ⁿ	26761-40-0/ 68515-49-1	1000	100	N.D.
5	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.
6	Phthalic acid, bis-n-octyl ester (DNOP) ⁿ	117-84-0	1000	50	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "R" = The test result is referred from identical material of other report according to applicant's request.
 5. 9R = This data is refer to data of CTT2603031034EN-4.
 6. 13R = This data is refer to data of CTT2603031033EN-12.
 7. 26R = This data is refer to data of CTT2603031033EN-11.
 8. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).



Test Report

Report No.:CTT2603031038EN

Page 30 of 57

Test Result(s):


Soluble heavy metal elements - ASTM F963-23 Section 4.3 Toxicology 4.3.5.1 Paint and Surface Coating

Method: ASTM F963-23

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					23	26R
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	9	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 26R = This data is refer to data of CTT2603031033EN-11.



Test Report

Report No.:CTT2603031038EN

Page 31 of 57


Test Result(s):

Soluble heavy metal elements - ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-Modeling Clays

Method: ASTM F963-23

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1	2
1	Soluble Antimony (Sb)	7440-36-0	60	5	5	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					3	4
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 32 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					5	6
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					7	8R
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	7	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 33 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					9R	10R
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	15
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					11	12
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS



Test Report


Report No.:CTT2603031038EN

Page 34 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					13R	14
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					15	25
1	Soluble Antimony (Sb)	7440-36-0	60	5	N.D.	N.D.
2	Soluble Arsenic (As)	7440-38-2	25	2.5	N.D.	N.D.
3	Soluble Barium (Ba)	7440-39-3	1000	5	N.D.	N.D.
4	Soluble Cadmium (Cd)	7440-43-9	75	5	N.D.	N.D.
5	Soluble Chromium (Cr)	7440-47-3	60	5	N.D.	N.D.
6	Soluble Lead (Pb)	7439-92-1	90	5	N.D.	N.D.
7	Soluble Mercury (Hg)	7439-97-6	60	5	N.D.	N.D.
8	Soluble Selenium (Se)	7782-49-2	500	5	N.D.	N.D.
Conclusion					PASS	PASS

NOTE: 1. mg/kg = milligram per kilogram (ppm).



Test Report

Report No.:CTT2603031038EN

Page 35 of 57

2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "R" = The test result is referred from identical material of other report according to applicant's request.
4. 9R = This data is refer to data of CTT2603031034EN-4.
5. 13R = This data is refer to data of CTT2603031033EN-12.
6. 8R = This data is refer to data of CTT2603031034EN-3.
7. 10R = This data is refer to data of CTT2603031036-11.

Test Result(s):


Total Lead (Pb) in accessible substrate materials - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a

Method: CPSC-CH-E1002-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
1+2+3	N.D.	PASS
4	N.D.	PASS
7	N.D.	PASS
9R	N.D.	PASS
11+12	11	PASS
13R	N.D.	PASS
16	N.D.	PASS

NOTE:

1. mg/kg = milligram per kilogram (ppm).
2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
4. "R" = The test result is referred from identical material of other report according to applicant's request.
5. 9R = This data is refer to data of CTT2603031034EN-4.
6. 13R = This data is refer to data of CTT2603031033EN-12.



Test Report

Report No.:CTT2603031038EN

Page 36 of 57

Test Result(s):

Total Lead (Pb) in accessible substrate materials (Metal) - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 101] and 15 U.S.C. § 1278a

Method: CPSC-CH-E1001-08.3

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
24	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).

Test Result(s):

Total Lead - ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Metallic Material


Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
24D	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1001-08.3.

Test Result(s):

Total Lead - ASTM F963-23 Section 4.3 Toxicology 4.3.5.2 Non-metallic Materials

Substances	Pb	Conclusion
CAS No.	7439-92-1	
LOQ (mg/kg)	10	
Limit (mg/kg)	100	
Material No.	Result (mg/kg)	
(1+2+3)D	N.D.	PASS
4D	N.D.	PASS
7D	N.D.	PASS
9R	N.D.	PASS



Test Report

Report No.:CTT2603031038EN

Page 37 of 57


(11+12)D	11	PASS
13R	N.D.	PASS
16D	N.D.	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "R" = The test result is referred from identical material of other report according to applicant's request.
 5. 9R = This data is refer to data of CTT2603031034EN-4.
 6. 13R = This data is refer to data of CTT2603031033EN-12.
 7. "D" = The sample(s) is(are) tested according to the method CPSC-CH-E1002-08.3.

Test Result(s):

Phthalates - ASTM F963-23, Section 4.3 Toxicology 4.3.8 Accessible plasticized component

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					(1+2+3)D	4D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 38 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					7D	9R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 39 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					(11+12)D	13R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 40 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					16D	17D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 41 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					18D	19D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 42 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					20D	21D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	72	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 43 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					22D	23D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 44 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					26R	27D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 45 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					28D
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "R" = The test result is referred from identical material of other report according to applicant's request.
 5. 9R = This data is refer to data of CTT2603031034EN-4.
 6. 13R = This data is refer to data of CTT2603031033EN-12.
 7. 26R = This data is refer to data of CTT2603031033EN-11.
 8. "D" = The sample(s) is(are) tested according to the method CPSC-CH-C1001-09.4 (2018).



Test Report

Report No.:CTT2603031038EN


Page 46 of 57

Test Result(s):

Phthalates - US Public Law 110-314 [Consumer Product Safety Improvement Act of 2008(CPSIA) Sec. 108] and CPSC 16 CFR 1307

Method: CPSC-CH-C1001-09.4 (2018)

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					1+2+3	4
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 47 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					7	9R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 48 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					11+12	13R
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 49 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					16	17
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 50 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					18	19
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 51 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					20	21
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	72	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 52 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					22	23
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 53 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)	
					26R	27
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.	N.D.
Conclusion					PASS	PASS




Test Report

Report No.:CTT2603031038EN

Page 54 of 57

No.	Substances Name	CAS No.	Limit (mg/kg)	LOQ (mg/kg)	Result (mg/kg)
					28
1	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	50	N.D.
2	Butyl benzyl phthalate (BBP)	85-68-7	1000	50	N.D.
3	Di-butyl phthalate (DBP)	84-74-2	1000	50	N.D.
4	Di-cyclohexyl phthalate (DCHP)	84-61-7	1000	50	N.D.
5	Di-iso-butyl phthalate (DIBP)	84-69-5	1000	50	N.D.
6	Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	1000	100	N.D.
7	Phthalic acid, bis-hexyl ester (DNHP/DHEXP/DHP)	84-75-3	1000	50	N.D.
8	Phthalic acid, bis-n-pentyl ester (DPP/DPENP/DnPP)	131-18-0	1000	50	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than LOQ, LOQ = Limit of Quantitation).
 3. "+" = The "+" in the test sample description indicates a mixed test. The test results are the overall results of the mixed materials. The individual result of one or more materials in the mixed material may be greater than the mixed test result. Conclusion of compliance also applies to the individual materials in a mixed test only if multiplying the LOQ (Limit of Quantitation) and the number of mixed materials is less than the limit.
 4. "R" = The test result is referred from identical material of other report according to applicant's request.
 5. 9R = This data is refer to data of CTT2603031034EN-4.
 6. 13R = This data is refer to data of CTT2603031033EN-12.
 7. 26R = This data is refer to data of CTT2603031033EN-11.



Test Report


Report No.:CTT2603031038EN

Page 55 of 57

Test Material List

Material No.	Sample Description	Location
1	Multicolor synthetic fiber	Clothes body
2	Multicolor synthetic fiber	Trousers body
3	Yellow synthetic /white synthetic fiber	Back of clothes
4	Blue synthetic fiber with brown synthetic fiber	Collar
5	Red synthetic fiber	Surface of collar
6	Gray synthetic fiber	Net
7	Blue plastic	Net
8	White synthetic fiber	Velcro
9	Beige white plastic	Velcro
10	White non-woven	Wafer
11	White synthetic fiber with white rubber	Small elastic rope
12	Black synthetic fiber with black rubber	Large elastic rope
13	White synthetic fiber with black synthetic fiber with red synthetic fiber	Label
14	Blue synthetic fiber	Wig
15	Blue non-woven	Interlayer
16	Black foam	Mask
17*	Beige white paint	Coating of mask
18*	Red paint	Coating of mask
19*	Yellow paint	Coating of mask
20*	Dark blue paint	Coating of mask
21*	Light brown paint	Coating of mask
22*	Beige paint	Coating of mask
23*	Black paint	Coating of rivet cap
24	Silvery metal	Substrate of rivet cap
25	Black foam with multicolor paint	Mask
26	White paint	Coating of rivet cap
27*	Gray purple paint	Coating of mask
28*	Dark brown paint	Coating of mask
29	Costume suit	Costume suit individual

Note: The testing material(s) marked "*" was (were) taken from components/raw material(s).




Test Report

Report No.:CTT2603031038EN

Page 56 of 57


Photo of Sample:



Test Report

Report No.:CTT2603031038EN

Page 57 of 57



End of Report

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample and sample information are provided by the applicant, our company are not responsible for their integrity and authenticity. Unless otherwise stated the results shown in this report only apply to the sample as received. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. This report is only used for scientific research, teaching, internal quality control, not for domestic social impartiality proof data.

